

# INDEX TO VOLUMES 22, 23 and 24 (1938, 1939 and 1940)\*

## SYMPOSIA

1938	1939
<i>January:</i> PNEUMONIA	<i>January:</i> MEDICAL MANAGEMENT OF GALLBLADDER DISEASE
<i>March:</i> ALLERGY	<i>March:</i> GYNECOLOGY AND OBSTETRICS
<i>May:</i> NERVOUS AND MENTAL DISEASES	<i>May:</i> PEDIATRICS
<i>July:</i> MEDICAL EMERGENCIES	<i>July:</i> DYSPEPSIA
<i>September:</i> DISEASES OF THE SKIN AND SYPHILIS	<i>September:</i> SULFANILAMIDE
<i>November:</i> DISEASES OF THE NOSE, THROAT AND EAR	<i>November:</i> METABOLIC DISEASES
1940	
<i>January:</i> GERIATRICS	
<i>March:</i> HEADACHE	
<i>May:</i> RECENT ADVANCES IN THERAPY	
<i>July:</i> PRESENT STATUS OF ENDOCRINE THERAPY	
<i>September:</i> CARDIOVASCULAR DISEASES	
	DIAGNOSTIC HINTS
<i>November:</i> ARTHRITIS	

- ABDOMEN, acute, in children, 1939: Jan., 139  
distended, 100 per cent oxygen in, 1939: July, 986
- Abdominal discomforts, functional, 1939: July, 887
- pain, acute, 1938: July, 884, 1031
- Abducens nerve, examination, 1938: May, 557
- Abortion, missed, 1939: March, 389  
threatened, 1940: July, 1074, 1077
- streptococcal infections following, sulfanilamide in, 1939: Sept., 1231
- Abruptio placentae, 1938: Jan., 208, July, 1219
- Abscess of aorta, 1939: Sept., 1341  
of brain, headache in, 1940: March, 306
- of liver, amebic, 1938: Jan., 27; 1939: Sept., 1276; 1940: Jan., 210
- Abscess of lung, 1940: March, 462, Sept., 1436  
of myocardium, 1939: Sept., 1337  
of spinal cord, 1938: July, 1122
- peritonsillar, 1940: Sept., 1525
- retropharyngeal, 1940: Sept., 1525
- Absorbents, neutralizing capacity, 1939: Jan., 261, 264
- Acacia, intravenous injection, in edema, 1940: May, 807
- Accoucheur's hand, 1938: July, 1005
- Acetarsone in amebiasis, 1939: Sept., 1271
- Acetyl-beta-methylcholine, 1940: May, 819
- Achlorhydria in old people, 1940: Jan., 13
- with dyspepsia, 1938: Sept., 1416
- Acidosis, 1938: Jan., 223  
diabetic, 1938: July, 979

\* NOTE: The volume year is given in *italic* type.

- Acidosis following sulfanilamide, 1939: Sept., 1180  
 in kidney disease, diet and, 1939: March, 454  
 ketone, in nondiabetic adults, 1940: Nov., 1813  
 Acne vulgaris, 1938: Sept., 1381  
 Acrocyanosis, 1938: March, 467  
 Acrodynia, 1938: May, 631  
 Acromegaly, 1939: Sept., 1330, Nov., 1771; 1940: July, 969  
 Actinomycosis of face and neck, 1939: Jan., 257  
 Addison's disease, 1938: Nov., 1831; 1939: Jan., 184, Nov., 1730; 1940: July, 1041, 1043, 1046, 1114, Nov., 1779  
 Addisonian crisis, 1938: July, 993  
 Adenoids, infected, and arthritis, 1940: Nov., 1677  
 Adenoma of adrenal cortex, 1938: March, 511; 1940: July, 1049  
 of islets of Langerhans, hyperinsulinism and, 1939: Nov., 1481, 1491  
 of pituitary, 1938: Jan., 166; 1940: July, 961  
 of small intestine, 1939: March, 505  
 Adenomatous goiter, 1940: July, 994, 995  
 tissue, relation to endocrine function, 1940: July, 947  
 Adhesions after gallbladder surgery, 1938: Nov., 1688, 1695  
 constipation due to, 1939: Nov., 1670  
 Adiposis dolorosa, 1938: Jan., 171; 1939: Nov., 1458; 1940: July, 1254  
 Adiposogenital dystrophy, 1938: March, 515; 1939: Nov., 1456, 1731  
 Adrenal cortex, adenomata, 1938: March, 511; 1940: July, 1049  
 extract, 1938: Nov., 1830, 1831  
 glands, diseases of, 1940: July, 1035  
 insufficiency, acute, 1938: July, 993  
 hypothyroidism with, 1939: Jan., 184  
 syndromes, asthenia in, 1939: Nov., 1730  
 therapy, 1938: Nov., 1830  
 Adrenocorticotrophic hormone, 1940: July, 959  
 Age, food requirements and, 1939: Nov., 1470  
 Aged, adjustments of, to life, 1940: July, 1271  
 diseases of, symposium on, 1940: Jan., 1  
 Agranulocytosis, 1938: Nov., 1658, 1669; 1939: Sept., 1144, 1181  
 Albumin-globulin ratio in liver disease, 1939: Jan., 24  
 Albuminuria diabeticorum, 1939: May, 756  
 Alcohol infusion, intravenous, in incurable cancer, 1940: May, 597  
 injections in anal pruritus, 1939: Nov., 1691  
 in pruritus vulvae, 1939: March, 327  
 in sciatica, 1938: Nov., 1786  
 Alcoholism, insulin and glucose in treatment, 1940: May, 671, 675  
 Alkali excess and deficit, 1938: Jan., 226, 229  
 therapy in peptic ulcer, alkalosis from, 1938: Jan., 223  
 Alkalosis, 1938: Jan., 223  
 Allergic bronchitis, 1938: March, 319  
 dermatoses, 1938: March, 378, 395  
 diseases of aged, 1940: Jan., 149  
 headache, 1938: March, 325; 1940: March, 285, 288  
 Allergy, 1939: Jan., 231  
 anemia due to, 1938: July, 912  
 as factor in gastro-intestinal disturbances, 1938: March, 297  
 in general medicine, 1938: March, 267  
 in otolaryngology, 1938: March, 281  
 cardiac, 1939: Jan., 234  
 cutaneous, 1938: March, 334, 371; 1939: Jan., 238  
 diagnostic procedures, 1938: March, 275, 278; 1939: Sept., 1245  
 food, 1938: July, 1037; 1940: July, 1239  
 gastro-intestinal, 1938: March, 297, 412, Nov., 1835; 1939: Jan., 239  
 inflammations of nose, throat and ear in, 1938: Nov., 1657  
 investigation of patient, 1938: March, 271  
 nasal, 1938: March, 281; 1939: Jan., 236  
 ocular manifestations, 1938: March, 287  
 predisposing factors, 1938: March, 269  
 symposium on, 1938: March, 265  
 Alopecia, 1939: Nov., 1648, 1654, 1656, 1658, 1659, 1660  
 Alpha-tocopherol in amyotrophic lateral sclerosis, 1940: May, 775  
 Altitudes, high, anoxemia of, 1939: July, 981  
 Alzheimer's disease, 1940: Jan., 101  
 Amebiasis, complications, 1939: Sept., 1276  
 pulmonary disease secondary to, 1938: Jan., 27  
 roentgen findings, 1938: March, 444

- Amebiasis, treatment, 1939: Sept., 1269
- Amebic abscess of liver, 1939: Sept., 1276; 1940: Jan., 210
- dysentery, 1938: July, 1082; 1939: March, 520, 521; Sept., 1272
- enteritis, 1939: Sept., 1271
- Amenorrhea, 1939: Jan., 212; 1940: July, 1072, 1075, 1078
- Amino-acetic acid, 1940: May, 772
- Aminopyrine, effect on diuresis, 1940: May, 874
- in etiology of agranulocytosis, 1938: Nov., 1671, 1676
- Amniotin in gonococcal vaginitis, 1939: March, 336, May, 667
- Amylase test in gallbladder disease, 1939: Jan., 25
- in pancreatic disease, 1940: Jan., 221, July, 1137
- Amyloidosis, heart disease and, 1939: Sept., 1329
- Amyotonia congenita, 1939: May, 826
- Amyotrophic lateral sclerosis, 1938: July, 1126, Sept., 1528, 1534; 1940: May, 775
- Anaerobic infection, 100 per cent oxygen in, 1939: July, 990
- Anal diseases, office treatment, 1939: Nov., 1683
- Analgesia in labor, fetal asphyxia due to, 1939: July, 1064
- Androsterone, 1938: Sept., 1540; 1940: July, 1059
- Anemia, aplastic, acute, 1938: July, 921
- idiopathic, 1940: March, 456
- due to blood loss, 1938: July, 907
- following sulfanilamide, 1939: Sept., 1139; 1940: Sept., 1451
- heart disease and, 1939: Sept., 1327
- hemolytic, 1938: July, 910, 913; 1940: Sept., 1451
- hypochromic, 1940: Sept., 1445
- idiopathic, 1940: March, 456
- in arthritis, 1940: Nov., 1641
- in children, ultraviolet therapy, 1939: May, 710
- in twin pregnancy, 1939: March, 437
- Lederer's, 1938: July, 913
- myelophthisic, 1940: May, 841
- of newborn, 1939: May, 581
- osteosclerotic, 1940: May, 841
- pernicious, 1938: July, 922; 1940: March, 452, Sept., 1447, 1449
- sickle cell, 1938: July, 916
- with cardiac disability, 1940: Sept., 1356
- Anemias, emergencies arising in, 1938: July, 907
- obscure, differentiation of, 1940: March, 451
- Anemic women, dysphagia of, 1940: March, 564
- Anesthesia in general practice, recent advances, 1940: May, 613
- Aneurysm, aortic, 1939: Sept., 1340; 1940: Sept., 1378; 1938: March, 477; 1939: Sept., 1312, 1340, 1341, 1342; 1940: Sept., 1378, 1382
- arteriovenous, bradycardiac reaction, 1939: Jan., 104
- heart failure in, 1939: Sept., 1326
- intracranial, headache in, 1940: March, 305, July, 1162
- of abdominal aorta, 1940: March, 391
- Angina pectoris, 1939: Sept., 1309; 1940: Sept., 1302
- abdominal pain in, 1938: July, 1035; 1940: March, 389
- in diabetes, 1939: Nov., 1566, 1573
- operative risk in, 1938: Sept., 1510
- tests for, 1939: March, 485
- Anginal pain on exertion in aged, 1940: Jan., 27
- on inhalation of tobacco smoke, 1939: July, 1037
- Angioneurotic edema in aged, 1940: Jan., 154
- Angiosclerosis, retinal, in aged, 1940: Jan., 131, 135
- Ankle jerk, 1938: May, 560
- Anorexia, functional, 1939: July, 901
- in cardiovascular disease, 1940: March, 384, Sept., 1318
- nervosa, 1938: March, 512; 1939: March, 541, July, 901; 1940: July, 966
- Anosmia, 1938: May, 557
- Anoxemia neonatorum, 1939: July, 1061
- of high altitudes, 1939: July, 981
- Antacids, neutralizing capacity, 1939: Jan., 259
- Antiseptics, urinary. See under *Urinary tract infections.*
- Antuitrin, 1938: Nov., 1824, 1828
- Anuria, postoperative, 1938: July, 949; 1940: March, 549
- Anxiety hysteria, 1940: Sept., 1495, 1505
- states, traumatic, 1938: May, 654
- Aorta, not well recognized diseases of, 1939: Sept., 1323, 1340
- Aortic aneurysm, 1938: March, 447; 1939: Sept., 1312, 1340; 1940: March, 381, Sept., 1378
- regurgitation, chest pain in, 1939: Sept., 1311
- stenosis, 1940: Sept., 1365
- operative risk in, 1938: Sept., 1510

- Aortitis, gummatous, 1939: Sept., 1341  
 Aphasia, 1938: May, 563  
 Apil paralysis, 1938: July, 1124  
 A. P. L., 1938: Nov., 1828  
   in cryptorchidism, 1940: July, 1060  
   in ovarian dysfunction, 1940: July, 1076  
 Apoplexy of spinal cord, 1938: July, 1127  
 Appendicitis, acute, 1940: Sept., 1422  
   differential diagnosis, 1939: Jan., 139, 146  
     abdominal pain in, 1938: July, 1037  
     in aged, 1940: Jan., 17  
   pseudo-, 1939: July, 889  
 Appendix, disease of, dyspepsia due to, 1938: March, 428  
 Appetite, loss of, in old people, 1940: Jan., 11  
 Arrhythmias, cardiac, 1938: Sept., 1510; 1939: Sept., 1300; 1940: May, 577, 827  
 Arsenic poisoning, 1940: Jan., 261  
 Arspenamine jaundice, 1938: Nov., 1766  
 Arterial embolism, 1938: March, 466  
   occlusion, peripheral, sudden, 1938: July, 943  
 Arteriosclerosis, cerebral, 1938: March, 479  
   psychosis with, 1940: Jan., 98  
   diabetic, 1938: July, 1190; 1939: Nov., 1528, 1563, 1572; 1940: Jan., 112  
   headache in, 1940: March, 322, July, 1163  
 Arteriovenous aneurysm, 1939: Jan., 104, Sept., 1326  
   fistula, 1940: Sept., 1350  
 Arthralgia, syphilitic, 1938: Sept., 1275  
 Arthritis, acetyl-beta-methylcholine in, 1940: May, 826  
   atrophic, 1940: Nov., 1594, 1607  
   blood in, 1940: Nov., 1633, 1641  
   colonic irrigations in, 1939: May, 787  
   deformities in, prevention and correction, 1940: Nov., 1735  
   diet in, 1940: Nov., 1647  
   endocrine therapy, 1940: Nov., 1697  
   etiology and diagnosis, 1940: Nov., 1594  
   focal infection and, 1940: Nov., 1673  
   gallbladder disease and, 1940: Nov., 1709  
   gonococcal, 1938: May, 839; 1939: Sept., 1185; 1940: Nov., 1640  
   gouty, 1940: March, 429, Nov., 1639  
   heat applications in, 1939: Jan., 133, 134  
 Arthritis, hemo-irradiation in, 1940: May, 729  
   hepatic injury in, advantages, 1940: July, 1209  
   hypertrophic, 1940: Nov., 1599, 1614, 1637  
   hypopituitarism and, 1940: Nov., 1706  
   hypothyroidism and, 1940: Nov., 1704  
   introduction to problem, 1940: Nov., 1591  
   jaundice in, advantages, 1940: July, 1209  
   lumbosacral, 1940: July, 1191  
   medical diathermy in, 1940: March, 543  
   menopausal, 1940: Nov., 1697  
   of spine, 1938: March, 415, 477; 1940: Nov., 1763  
     headache from, 1940: March, 329  
   pathogenesis, role of liver in, 1940: July, 1223  
   physical therapy in, 1940: Nov., 1685  
   pregnancy and, 1940: Nov., 1697  
   reconstructive surgery in, 1940: Nov., 1745  
   rheumatoid, in syphilis, 1938: Sept., 1285  
   sacro-iliac, 1940: July, 1192  
   roentgen aspects, 1940: Nov., 1603  
   symposium on, 1940: Nov., 1591  
   syphilitic, 1938: Sept., 1275, 1284  
   thyroid therapy, 1940: Nov., 1704  
   treatment, integration and coordination of, 1940: Nov., 1767  
   special agents in, 1940: Nov., 1725  
   with microdosage of bacterial products, 1940: Nov., 1717  
 Aschheim-Zondek test in missed abortion, 1939: March, 395, 396  
 Ascites, conditions associated with, 1938: July, 1165  
 Ascorbic acid, therapy with, 1940: May, 743  
 Asphyxia neonatorum, 1939: July, 1061, 1066  
 Asthenia, 1939: Nov., 1723  
   constitutional, spastic irritable bowel in, 1940: Jan., 198, 201  
   neurocirculatory, 1938: March, 474, May, 780; 1939: Sept., 1311, Nov., 1733  
 Asthma, 1939: Jan., 233, 235, July, 961, Nov., 1605  
   bronchial, 1938: March, 351; 1940: Jan., 149, May, 625, 730  
   epinephrine in, dangers, 1940: Nov., 1851  
   sinus disease and, 1939: May, 685



- Asthma, cardiac, 1938: Nov., 1735;  
1939: Jan., 235; 1940: Sept., 1314  
desensitization in, 1939: Nov., 1611  
diagnosis, 1939: Nov., 1606  
treatment, 1939: July, 1000, Nov.,  
1607
- A.T. 10, 1938: Nov., 1823; 1940:  
May, 763, 767  
in parathyroid tetany, 1940:  
March, 446, May, 833, July,  
1024
- Ataxia, Friedreich's, 1939: May, 826,  
Sept., 1340  
locomotor, 1939: May, 823, 834  
tests for, 1938: May, 564
- Atelectasis, obstruction, 1938: May,  
705  
postoperative, 1940: Sept., 1437  
100 per cent oxygen in, 1939:  
July, 994
- Athlete's foot, 1938: Sept., 1392;  
1939: Sept., 1279
- Atlo-axoid dislocation, spontaneous,  
1938: July, 1120
- Atonia, uterine, 1939: July, 1049
- Atopic dermatitis, 1938: March, 333,  
378, 396, May, 795
- Atrophy, cutaneous, senile, 1940:  
Jan., 139, 144  
optic, 1939: Nov., 1700  
subcutaneous fat, due to insulin,  
1938: May, 721
- Atropine in chronic dyspepsia, 1938:  
Sept., 1415  
in hypertonicity in infancy, 1939:  
May, 608
- Auditory nerve, examination, 1938:  
May, 558
- Auricular fibrillation, 1939: Jan., 103,  
Sept., 1302; 1940: Jan., 29,  
119  
paroxysmal, 1940: May, 590  
restoration of normal rhythm,  
advisability of, 1940: July, 1083  
flutter, 1939: Sept., 1302; 1940:  
May, 829, July, 997  
paroxysmal, 1940: May, 589  
tachycardia, paroxysmal, 1940: May,  
583, 827
- Autohemotherapy in pruritus, 1939:  
Nov., 1641
- Auto-intoxication, intestinal, colonic  
irrigations in, 1939: May, 781
- Avitaminosis, heart disease and, 1939:  
Sept., 1327  
multiple neuritis due to, 1938:  
Nov., 1803  
paralysis of, 1938: March, 504
- Axioms, clinical, 1940: Sept., 1399
- Ayerza's disease, 1940: March, 486
- Azotemia, nonrenal (extrarenal), 1940:  
Nov., 1837
- BABINSKI reflex, 1938: May, 560
- Baby talk, 1938: May, 608
- Bacillary dysentery, 1938: July, 1081;  
1939: March, 522, May, 603
- Bacillus acidophilus in constipation,  
1939: Nov., 1679
- coli infections of bladder, 1938:  
Nov., 1697
- Backache in gastro-intestinal disease,  
1938: May, 749
- Backache, low, 1940: July, 1191,  
Nov., 1747
- Bacteremia, gonococcus, 1938: May,  
844  
hemolytic streptococcus, 1939: Sept.,  
1153
- Bainbridge's law, 1939: Jan., 104  
reflex, 1940: July, 1102
- Baking in arthritis therapy, 1940:  
Nov., 1685
- Baldness. See *Alopecia*.
- Balneotherapy in skin diseases, 1938:  
Sept., 1321
- Banti's disease, 1940: Sept., 1458
- Barbiturates, 1940: May, 605  
in hypertension, 1939: July, 1026  
in labor, 1939: July, 1055  
poisoning from, 1940: Jan., 255
- Barré test, 1938: May, 561
- Basal metabolism, abnormal, in ad-  
olescents, 1938: May, 812  
low, without myxedema, 1939:  
Jan., 180
- Basophilism, pituitary, 1938: Jan.,  
165, 166, March, 513; 1939: Nov.,  
1457; 1940: July, 972
- Baths in infantile eczema, 1938: May,  
803  
in skin diseases, 1938: Sept., 1321  
pruritus following, 1939: Nov., 1637
- Bee venom in arthritis, 1940: Nov.,  
1730
- Behavior disorders in children, par-  
ents' responsibility, 1939: Sept.,  
1387  
postencephalitic, 1940: July, 1179
- Belching in gallbladder disease, 1939:  
Jan., 13
- Bell's palsy, 1938: March, 506; 1940:  
March, 547
- Belladonna in chronic dyspepsia,  
1938: Sept., 1415
- Benzedrine in narcolepsy, 1938: May,  
637  
sulfate, action on uterus, 1939:  
March, 285  
in dysmenorrhea, 1939: March,  
284
- Beriberi, circulatory manifestations,  
1939: May, 759, 764, 771, Sept.,  
1327; 1940: Sept., 1360
- polyneuritis in, 1938: May, 631

- Biceps jerk, 1938: May, 560
- Bile flow, stimulating, 1939: Jan., 57  
preparations in arthritis, 1940: July, 1226, 1227
- Biliary calculi. See *Cholelithiasis*.
- colic, 1938: Nov., 1692; 1939: Jan., 75  
disease, dyspepsia in, 1938: March, 427  
drainage, diagnostic, in gallbladder disease, 1940: Nov., 1711  
dyskinesia, 1939: Jan., 64, 81  
tract, carcinoma of, serum enzymes in, 1940: July, 1146  
disease, duodenal drainage in, 1940: March, 473, 477  
stasis, 1939: Jan., 63, 81
- Bilirubin in arthritis, 1940: July, 1230, 1231  
test of liver function, 1939: Jan., 21
- Biopsy, endometrial, 1940: Jan., 177, July, 1082  
of cervix uteri, 1940: Jan., 174
- Bladder, *Bacillus coli* infections, 1938: Nov., 1697  
conditions in aged, 1940: Jan., 162  
cord, 1938: July, 960  
elusive (Hunner) ulcer, 1939: March, 374  
infections, 1938: Jan., 191  
inflammation, in female, 1939: March, 357  
neck, cystic formations at, 1940: Nov., 1804  
irregularity of, 1940: Nov., 1806  
obstructions, 1939: Jan., 155  
tuberculosis, 1939: March, 372
- Blanching tests in scarlet fever, 1938: Sept., 1379; 1940: Sept., 1535
- Blastomycosis of face and neck, 1939: Jan., 255
- B.L.B. inhalation apparatus, 1939: July, 982, 999
- Blepharitis, allergic, 1938: March, 287  
hemo-irradiation in, 1940: May, 730
- Blood, amylase determinations, 1940: Jan., 222, July, 1137  
autotransfused, irradiation of, 1940: May, 723  
chemistry tests of renal function, 1940: Sept., 1472  
chronic loss, anemia of, 1940: March, 455  
disorders, in general practice, 1940: Sept., 1443  
dyscrasias, emergencies arising in, 1938: July, 907  
films, preparation and inspection, 1940: Sept., 1444  
in adolescent endocrine disturbances, 1938: May, 813, 814  
in arthritis, 1940: Nov., 1633
- Blood, lipase tests, 1940: Jan., 222, July, 1137  
loss, anemia due to, emergency aspects, 1938: July, 907  
preserved, for transfusion, 1940: May, 705, 717  
pressure, abnormal, in adolescents, 1938: May, 813  
postural responses, 1940: July, 1095  
smoking and, 1939: July, 1033  
taking, in erect posture, 1940: July, 1115  
usually normal, hyperreaction of, 1940: July, 1089  
vasomotor centers, 1940: July, 1100
- ptosis test of Crampton, 1939: March, 477
- sedimentation test, 1940: Nov., 1635
- serum, coagulation reaction, 1939: Jan., 25  
intravenous injection, in edema, 1940: May, 807  
stored, for transfusion, 1940: May, 719  
studies, minimum, in general practice, 1940: Sept., 1444  
transfusion. See *Transfusion*.
- Boeck's sarcoid, 1939: Jan., 249, 251, Sept., 1335, 1383
- Bone marrow replacement, 1940: May, 841
- Boric acid bath in eczema, 1938: May, 803
- Bowel antigen reaction, 1939: March, 519  
distress, 1938: Jan., 140  
functional, 1938: Jan., 139
- Brachial plexus paralysis, 1938: March, 508
- Bradycardiac reaction, 1939: Jan., 104
- Bradycardias, 1939: Jan., 93
- Brain, diseases of, 1940: Sept., 1477  
headache in, 1940: March, 305, July, 1160  
vascular lesions, 1938: March, 479, May, 577
- Breast feeding, 1938: May, 821
- Breath-holding test of blood pressure, 1940: July, 1091
- Bright's disease. See *Nephritis*.
- Broadbent's sign, 1939: Sept., 1297
- Bromsulfalein test of liver function, 1939: Jan., 23
- Bronchial asthma. See *Asthma*.  
obstruction, oxygen therapy in, 1940: May, 624
- Bronchiectasis, 1939: Sept., 1345; 1940: March, 462
- Bronchitis, allergic, 1938: March, 319

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1877

- Bronchitis, amebic, 1938: Jan., 27  
chronic, in aged, 1940: Jan., 38  
in asthma, 1939: Nov., 1614  
short wave diathermy in, 1939:  
Jan., 134  
Bronchophony, whispered, in pneu-  
monia, 1938: Jan., 46  
Bronchopneumonia, 1938: Jan., 51;  
1940: Sept., 1432  
tuberculous, 1940: Sept., 1434  
Bronchoscopy in asthma, 1939: Nov.,  
1615  
Bronchostenosis complicating asthma,  
1939: July, 961  
Bronchus, carcinoma of, primary,  
1938: Jan., 123  
Brown-Séquard syndrome, 1938: July,  
1113, Sept., 1521  
Brucella abortus vaccine, 1938: Jan.,  
253  
dermatitis, 1938: March, 401  
Brucellin, 1938: Jan., 253  
Brucellosis. See *Undulant fever*.  
Buerger's disease. See *Thrombo-  
angiitis obliterans*.  
Bullowa's nasal catheter, 1938: Jan.,  
94  
Burgess open type oxygen tent, 1938:  
Jan., 93  
Burns, electrical, 1938: July, 1024,  
1027  
Burow's solution, 1938: Sept., 1391  
Bursitis in gout, 1940: March, 438  
medical diathermy in, 1939: Jan.,  
130; 1940: March, 545
- CACHEXIA, pituitary, 1938: March,  
512; 1939: Nov., 1731  
Caffeine, heart disorders from, 1939:  
Sept., 1332  
Calciferol, 1939: May, 691; 1940: May,  
760, 761  
Calcium deficiency, pruritus vulvae  
in, 1939: March, 315  
metabolism, disturbances, in senile  
diabetes, 1940: Jan., 121  
therapy in incurable cancer, 1940:  
May, 598  
in parathyroid insufficiency, 1940:  
March, 444, 445, July, 1022  
Calculi, biliary. See *Cholelithiasis*.  
common duct, 1938: Nov., 1692  
pancreatic, 1940: Jan., 228  
renal, diet in, 1939: Jan., 119  
in aged, 1940: Jan., 161  
in gout, 1940: March, 438  
ureteral, in aged, 1940: Jan., 161  
urinary, diet and, 1939: March, 458  
Calvities, 1939: Nov., 1648  
Canker sores, allergic factors, 1938:  
March, 309, 310
- Capillary fragility tests, 1940: May,  
751, Sept., 1455  
Capsuloplasty in arthritis, 1940: Nov.,  
1750  
Carbarson in amebiasis, 1939: Sept.,  
1270  
Carbohydrate content of common  
fruits and vegetables, 1939: Nov.,  
1512  
distribution, insulin in diabetes and,  
1940: May, 649  
Carbon dioxide inhalations in pneu-  
monia, 1938: Jan., 87  
solid, in skin diseases, 1938: Sept.,  
1319  
monoxide, heart disorders from,  
1939: Sept., 1332  
poisoning, 1940: Jan., 251  
Carbonic acid excess and deficit, 1938:  
Jan., 226  
Carbuncles in diabetes, 1938: July,  
1194; 1939: Nov., 1543  
Carcinoma, incurable, control of pain  
in, 1940: May, 595  
melanotic, in aged, 1940: Jan., 141  
of biliary tract, serum enzymes in,  
1940: July, 1146  
of cervix, radiologic treatment, 1940:  
Jan., 273  
Schiller's test, 1940: Jan., 173  
of colon, 1938: March, 437, July,  
1073  
of duodenum, 1939: July, 881  
of esophagus, 1940: March, 557  
of jejunum, 1938: July, 1064, 1065  
of liver, 1940: Jan., 208  
primary, 1938: Jan., 123; 1939:  
Sept., 1314, 1380  
of pancreas, 1940: Jan., 227, 228,  
July, 1142  
of renal pelvis, 1940: March, 415  
of skin, 1939: Jan., 245  
of small intestine, 1939: March,  
502  
of stomach, 1938: March, 426, May,  
737; 1939: July, 871; 1940: Jan.,  
13, March, 514, July, 1148  
of uterus, menopausal bleeding and,  
1939: March, 303  
Cardiac asthma, 1938: Nov., 1735;  
1939: Jan., 235; 1940: Sept., 1314  
decompensation, 1938: May, 620,  
853  
dyspnea, paroxysmal, 1938: Nov.,  
1735; 1940: Sept., 1314  
emergencies, 1938: July, 895  
functional tests, 1938: May, 773  
insufficiency, early, 1938: July, 1129  
status in surgical patient, 1938:  
Sept., 1505  
Cardionephritis, pellagra syndrome in,  
1939: May, 777

- Cardiorespiratory test, 1939: March, 478
- Cardiospasm, 1939: Sept., 1314; 1940: March, 560
- Cardiovascular complications of diabetes mellitus, 1939: Nov., 1561
- diseases, gastro-intestinal manifestations, 1938: March, 413, 429; 1940: March, 381
- headache in, 1940: March, 321
- in aged, 1940: Jan., 23
- pulmonary expressions of, 1939: Sept., 1382
- symposium on, 1940: Sept., 1293
- manifestations of vitamin deficiency, 1939: May, 759
- syphilis, chest pain in, 1939: Sept., 1311
- Carditis, serum, 1939: Sept., 1336
- Caries, dental, in diabetes in children, 1939: Nov., 1528
- spinal, tuberculous, 1938: Sept., 1529, 1534
- Carminatives in chronic dyspepsia, 1938: Sept., 1414
- Carotid sinus, heart disorders and, 1939: Sept., 1339
- reflex, 1940: July, 1101
- syndrome, 1939: Jan., 235
- Cartilage, physiology, 1940: Nov., 1624
- Caruncle, urethral, 1940: Jan., 67, Nov., 1809
- Castration, effects of, 1938: Sept., 1539
- Cataphoresis in skin diseases, 1938: Sept., 1315
- Cataract, 1938: March, 292, 341; 1939: Nov., 1528; 1940: Jan., 130
- Catarrh, head, with deafness, 1938: Nov., 1631
- spring, 1938: March, 289
- Cathartics, spastic irritable bowel from, 1938: Jan., 139; 1940: Jan., 194, 200
- Cauda equina lesions, 1939: May, 821, 834
- Cauterization. n childbirth cervicitis, 1939: March, 381
- Cellulitis in diabetes, 1939: Nov., 1543
- Cephalin, 1939: May, 735
- Cerebral arteriosclerosis, psychosis with, 1940: Jan., 98
- compression in infant at birth, 1939: July, 1066
- vascular accidents, 1938: March, 479, May, 577
- lesions, coma in, 1938: May, 619
- Cervical cord syndrome, lower, 1938: Sept., 1528, 1534
- spine, arthritis of, headache from, 1940: March, 329
- Cervicitis, 1938: May, 761; 1939: March, 379, 380, 383, 386
- Cervix uteri, atresia of os, in aged, 1940: Jan., 68
- biopsy, 1940: Jan., 174
- carcinoma, radiologic treatment, 1940: Jan., 273
- Schiller's test, 1940: Jan., 173
- dilatation, 1939: March, 289
- erosions, 1939: March, 385
- examination, 1940: Jan., 173
- lacerations, 1939: March, 380
- lesions, leukorrhea due to, 1939: Jan., 200, 201; 1940: May, 914
- leukoplakia, 1939: March, 385
- Cevitamic acid, therapy with, 1940: May, 743
- Chaddock maneuver, 1938: May, 560
- Chalazia, recurring, 1938: March, 288
- Chancres, 1938: Sept., 1243, 1245, 1246, 1248, 1334, 1529
- Chancroid, 1938: May, 764
- Character neurosis, 1940: Sept., 1495, 1508
- Charcot joints, 1938: Sept., 1280
- Chaulmoogra oil in arthritis, 1940: Nov., 1731
- Chemicals, anemia due to, 1938: July, 911
- polyneuritis due to, 1938: May, 634
- Chest deformities, heart disease and, 1939: Sept., 1326
- leads in cardiac diagnosis, 1938: July, 1147, 1150; 1940: May, 891
- pain, 1938: March, 473; 1939: Sept. 1307; 1940: Sept., 1300
- Cheyne-Stokes respiration, 1940: Sept., 1310
- Chickenpox, 1938: Sept., 1362; 1940: Sept., 1529
- Child, emotionally disturbed, 1939: May, 715
- Childbirth. See *Labor*.
- Children, diseases of, symposium on, 1939: May, 569
- Chills in heart disease, 1940: Sept., 1321
- Chiniofon in amebiasis, 1939: Sept., 1269
- Chloroform, heart disorder from, 1939: Sept., 1331
- Cholecystectomy, problems of patient after, 1938: Nov., 1683
- syndrome following, duodenal drainage in, 1940: March, 473
- Cholecystitis, 1939: Jan., 3, 19, 27, 51, 52. See also *Gallbladder disease*.
- Cholecystography, 1939: Jan., 27; 1940: March, 476
- Cholelithiasis, 1939: Jan., 3, 19, 27, 53. See also *Gallbladder disease*.

- Cholelithiasis, coronary thrombosis associated with, 1939: Jan., 33
- Cholesterol in arthritis, 1940: July, 1230
- irradiated, 1939: May, 691
- physiology, 1939: May, 736
- Chorea, fever therapy, 1939: May, 712; 1940: Sept., 1566
- Choriomeningitis, lymphocytic, 1940: Sept., 1479, 1481
- Chorioretinitis, allergic, 1938: March, 293
- Chvostek's sign, 1938: July, 1006
- Cinchophen, agranulocytosis due to, 1938: Nov., 1674
- jaundice due to, 1938: Nov., 1767
- toxicity, effect on arthritis, 1940: July, 1123
- Circulation and hypoövarianism, 1940: May, 919
- slowed, 100 per cent oxygen in, 1939: July, 986
- time, 1939: March, 481
- Circulatory efficiency, determination, 1939: March, 475
- failure, acute, 1939: March, 463
- manifestations of vitamin deficiency, 1939: May, 759
- Cirrhose cardiaque, 1938: July, 1172
- Cirrhosis, fat, 1939: May, 753, 755
- hepatic, cardiovascular disturbances and, 1939: Sept., 1328
- portal, 1940: Jan., 209
- Climacteric. See also *Menopause*. male, 1940: Jan., 84
- Climate and diabetes, 1939: July, 1088
- in treatment of asthma, 1939: Nov., 1632
- Clinical axioms, 1940: Sept., 1399
- Clutton's joints, 1939: Nov., 1592
- Coagulants, commercial, relative potency, 1940: May, 779
- Cobra venom in incurable cancer, 1940: May, 599
- Coccygodynia, 1940: July, 1204
- Cod liver oil, 1939: May, 689; 1940: May, 759
- Cold applications in pediatric conditions, 1939: May, 706
- pressor test of blood pressure, 1940: July, 1089
- Coldness of extremities in heart disease, 1940: Sept., 1322
- Colds, common, 1938: March, 362, July, 1018, Nov., 1661; 1939: May, 709; 1940: Jan., 185
- Colic, biliary, 1938: Nov., 1692; 1939: Jan., 75
- navel, recurring, 1939: Jan., 152
- renal, 1938: July, 964
- Colitis, 1939: March, 513
- Colitis, cathartic, 1938: Jan., 139; 1940: Jan., 194, 200
- functional, chronic, 1938: Jan., 140
- gravis, 1938: July, 1089
- mucous, 1938: Jan., 139, May, 758, July, 1051; 1939: May, 787, July, 887
- spastic, 1938: Jan., 139
- ulcerative, allergic factor, 1938: March, 304, 443, July, 1083, 1089; 1939: March, 522; 1940: May, 683, 686, 695
- with virus of lymphogranuloma venereum, 1939: March, 519, 520
- Colloids, inorganic, neutralizing capacity, 1939: Jan., 261
- Colon, carcinoma, 1938: March, 437
- conditions causing constipation, 1939: Nov., 1669
- diseases, practical problems, 1938: July, 1073
- diverticulitis, in aged, 1940: Jan., 20
- diverticulosis, 1938: March, 435
- functional disturbance, 1938: Jan., 140
- irrigations, in arthritis, 1940: Nov., 1693
- in intestinal auto-intoxication, 1939: May, 781
- irritable, 1938: Jan., 140, March, 430, 434; 1939: March, 514; 1940: Jan., 193, March, 548
- polyps, 1938: March, 444
- roentgen examination, 1938: March, 433
- sarcoma, 1938: March, 439
- sensitive, 1939: July, 887
- tuberculosis, 1938: March, 440
- Colostomy, care after, 1938: July, 1078
- Colposcopy, 1940: Jan., 173
- Coma, causes, diagnosis and proper handling of, 1938: May, 617
- diabetic, 1938: July, 979, 982, 992; 1939: Nov., 1524, 1552
- examination of patient, 1938: May, 565
- Common duct stone, 1938: Nov., 1692, 1693
- Complement fixation test in gonorrhea, 1938: Jan., 188, May, 847
- Compulsion neurosis, 1940: Sept., 1495, 1506
- Concentration test of renal function, 1940: Sept., 1470
- Concussion of heart, 1939: Sept., 1332
- Condyloma acuminata of penis, carcinoma-like, 1939: May, 789
- lata, 1938: Sept., 1255
- Conjunctivitis, allergic, 1938: March, 288
- Constipation, 1938: July, 1085; 1939: Nov., 1665

- Constipation, headache in, 1940: March, 346  
in old people, 1940: Jan., 7, 17  
indigestion due to, 1938: July, 1054  
Constitutionally inadequate person, indigestion in, 1938: July, 1054  
Contact dermatitis, 1938: March, 371  
with physical agents, emergencies arising from, 1938: July, 1009  
Contraction ring in twin labor, 1939: March, 443  
Convalescent serum with sulfanilamide therapy, 1939: May, 703  
in measles. See *Measles*.  
in mumps, 1939: May, 630  
in scarlet fever. See *Scarlet fever*.  
source and preparation, 1939: May, 613  
Conversion hysteria, 1938: May, 591; 1939: May, 834; 1940: Sept., 1495, 1503  
Convulsions, epileptic, coma after, 1938: May, 619  
Convulsive syncope, 1938: July, 901  
Cook's emulsion base, 1940: Jan., 143  
Coordination tests, 1938: May, 564  
Corbus-Ferry bouillon filtrate in gonorrhea, 1938: Jan., 181; 1939: March, 349  
Cord bladder, 1938: July, 960  
Cornea, allergic manifestations, 1938: March, 289  
Cornstarch bath in eczema, 1938: May, 803  
Coronary artery disease, 1938: May, 782; 1939: Jan., 33, 103, Sept., 1309, Nov., 1565, 1572; 1940: March, 385, Sept., 1335  
thrombosis, 1938: March, 476, July, 885, 886, 895, 1036, Sept., 1510; 1939: Nov., 1569, 1573; 1940: Jan., 30, 263, March, 389, May, 891, Sept., 1306  
Cortical extract in Addison's disease, 1940: July, 1047  
Corymbiform syphilid, 1938: Sept., 1252  
Cough, gold tribromide in, 1938: Sept., 1498  
in heart disease, 1939: Sept., 1293; 1940: Sept., 1316  
Cramps, heat, 1938: July, 1011  
Crampton's blood ptosis test, 1939: March, 477  
Cranial nerves, examination, 1938: May, 565  
Cretinism, 1938: Nov., 1818; 1939: Jan., 178; 1940: July, 1014  
Crises, hemolytic, 1938: July, 911, 920  
visceral, 1938: July, 1036  
Croup, 1940: Sept., 1528  
Cryptal débris in tonsil, 1938: Nov., 1609  
Cryptitis, anal, office treatment, 1939: Nov., 1693  
Cryptorchidism, 1938: May, 810, Nov., 1829; 1940: July, 1059, 1060  
Curettage, uterine, diagnostic, 1939: March, 303; 1940: Jan., 175, July, 1082  
Cushing's syndrome, 1938: Jan., 166; 1939: Nov., 1457; 1940: July, 972  
Cutaneous. See *Skin*.  
Cystitis, 1938: Jan., 191; 1939: March, 357  
sulfanilamide in, 1939: Sept., 1228  
Cystoscopy in bladder neck obstruction, 1939: Jan., 157  
Cystotomy for bladder neck obstruction, 1939: Jan., 166  
Cysts, hydatid, of liver, 1940: Jan., 211  
pancreatic, 1940: Jan., 224, 228, May, 855, 865  
DAGENAN, 1939: July, 930  
Dandruff, 1938: Sept., 1385, 1387; 1939: Nov., 1647  
Deafness, as indication for tonsillectomy, 1938: Nov., 1607  
prevention and treatment, 1938: Nov., 1627  
testing for, 1938: May, 558  
Debility in children, ultraviolet therapy, 1939: May, 709  
Decholin in arthritis, 1940: July, 1227, 1231  
Decomposition of movement, 1938: May, 564  
Deeks' treatment of amebiasis, 1939: Sept., 1275  
Deficiency neuritis, 1938: Nov., 1789, 1793  
Deficiency states, polyneuritis in, 1938: May, 633  
Dehydration in infants, 1938: May, 833, 834  
Delivery. See *Labor*.  
Dementia paralytica, 1939: July, 1110, 1114; 1940: Sept., 1483  
praecox, 1938: Nov., 1747  
senile, 1940: Jan., 95  
Dental caries in diabetes, 1939: Nov., 1528  
Depilatory creams, neuritis due to, 1938: Nov., 1790  
Depression, agitated, 1940: Sept., 1494, 1502  
manic-depressive, 1940: Sept., 1501  
Dercum's disease, 1938: Jan., 171; 1939: Nov., 1458; 1940: July, 1254

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1881

- Dermatitis, atopic, 1938: March, 333, 378, 396, May, 795  
 Brucella, 1938: March, 401  
 contact, 1938: March, 287, 288, 371, 401  
     patch test in, 1938: March, 392  
 fungous, 1938: March, 378, 398  
 medicamentosa, 1938: Sept., 1323  
 of vulva, 1939: March, 311, 312  
 seborrheic, 1938: Sept., 1387; 1939: Nov., 1647  
 Sunday, 1938: March, 377  
 venenata, 1938: March, 373, Sept., 1323, 1389  
 Dermatology, physical therapy, 1938: Sept., 1311  
 Dermatomycosis favosa, 1939: Nov., 1652  
 Dermatomyositis, wheat germ in, 1940: May, 775  
 Dermatophytids, 1938: Sept., 1394; 1939: Sept., 1281  
 Dermatophytosis, 1938: Sept., 1392; 1939: Sept., 1279, 1281  
 Dermatoses, allergic, 1938: March, 378, 395  
     pruritus in, 1939: Nov., 1636  
 Desoxycorticosterone acetate in Addison's disease, 1940: July, 1047  
 Diabetes insipidus, 1940: July, 975  
 Diabetes mellitus, 1939: July, 1079  
     acidosis in, 1938: July, 979  
     acute infections in, 1939: Nov., 1534  
     adenomatous goiter with hyperthyroidism in, 1940: July, 998  
     angina pectoris in, 1939: Nov., 1566, 1573  
     arteriosclerosis in, 1938: July, 1190; 1939: Nov., 1563, 1572  
     carcinoma of colon in, 1938: July, 1076  
     cardiovascular complications, 1939: Nov., 1561  
     coma of, 1938: May, 619, July, 979, 982; 1939: Nov., 1524, 1552  
     insulin reaction and, 1938: July, 992  
     complications, 1938: July, 1187, Nov., 1659; 1939: Nov., 1523, 1533, 1543  
     coronary disease in, 1939: Nov., 1565, 1569, 1572, 1573  
     diet in, 1939: Nov., 1500, 1506, 1510, 1520, 1539  
     fat and thin patients, differences in treatment, 1939: Nov., 1499  
     gangrene of, 1938: July, 1191; 1940: Jan., 114, 118, Nov., 1544  
     heredity in, 1939: July, 1094  
 Diabetes mellitus in aged, 1938: July, 1187; 1940: Jan., 105  
     in childhood and adolescence, 1939: Nov., 1515  
     inadequate insular reserve in, 1939: July, 1080  
     insulin in, 1939: July, 1101, Nov., 1506, 1522, 1536; 1940: May, 649  
     neuritis in, 1938: May, 632, July, 1191  
     pathogenesis, 1939: July, 1079  
     prevention, 1939: July, 1096  
     protamine-zinc insulin in, 1938: May, 711; 1939: July, 1099  
     pruritus in, 1939: Nov., 1638  
     pulmonary tuberculosis in, 1939: Nov., 1542  
     retinitis in, 1938: July, 1191  
     treatment, working principles, 1940: May, 650  
     weather as factor, 1939: July, 1088  
     with postural maladaptation, 1940: July, 1113  
     xanthoma secondary to, 1939: May, 754  
 Diabetogenic hormone, 1940: July, 959  
 Diagnosis, human and social factor, 1939: Sept., 1413  
     procedures of, 1938: May, 555  
 Diagnostic hints, symposium on, 1940: Sept., 1397  
     principles, fundamental, 1940: Sept., 1400  
 Diaphragmatic hernia, 1940: March, 565  
 Diarrhea, acidosis of, 1938: Jan., 229  
     epidemic, of newborn, 1939: May, 601  
     in adult, 1939: March, 513  
     in chronic ulcerative colitis, 1940: May, 685  
     in diseases of colon, 1938: July, 1079, 1080  
     in gastro-intestinal allergy, 1938: March, 305  
     in Salmonella infection in newborn, 1939: May, 591  
 Diathermy in flaccid paralysis, 1939: May, 829  
     in gonococcal salpingitis, 1939: March, 347  
     in sciatica, 1938: Nov., 1784  
     medical, in pneumonia, 1938: Jan., 61  
     in skin diseases, 1938: Sept., 1318  
     some applications of, 1940: March, 543  
     short wave, 1939: Jan., 121, 128



- Diathermy, surgical, in skin diseases, 1938: Sept., 1316
- Di-carboxylic acids in hemophilia, 1940: May, 802
- Dick test, 1938: Sept., 1380
- Diet and physical state of young adults and of their parents at same age compared, 1939: May, 725
- elimination, 1940: July, 1242
- for infants, 1939: May, 569
- in amebic dysentery, 1939: Sept., 1272
- in anorexia nervosa, 1939: March, 550
- in arthritis, 1940: Nov., 1659
- in chronic dyspepsia, 1938: Sept., 1408
- in chronic ulcerative colitis, 1940: May, 701
- in congestive heart failure, 1939: March, 469
- in constipation, 1939: Nov., 1667, 1677
- in diabetes mellitus, 1939: Nov., 1500, 1505, 1510, 1520, 1539
- in essential hypertension, 1939: March, 495
- in functional hyperinsulinism, 1939: Nov., 1494
- in gallbladder disease, 1939: Jan., 56
- in infantile eczema, 1938: May, 799
- in irritable colon, 1938: Jan., 145
- in obesity, 1938: Jan., 173; 1939: Nov., 1459
- in renal disease, 1939: Jan., 107, 119, March, 449, Nov., 1709, 1712, 1713
- in toxic and infectious jaundice, 1938: Nov., 1776
- low purine, in gout, 1939: Nov., 1446
- restrictions, in aged, 1940: Jan., 11
- urinary calculi and, 1939: March, 458
- Diethylstilbestrol, 1940: Jan., 88, July, 1073
- Digestive disturbances, functional, 1938: July, 1045
- headache in, 1940: March, 341
- tract diseases, acute, 1940: Sept., 1411
- Digitalis, heart disorder from, 1939: Sept., 1331
- in congestive heart failure, 1938: July, 1139; 1939: March, 465
- in cardiac arrhythmias, 1940: May, 587, 589, 592
- in peripheral circulatory failure, 1939: March, 472
- Digitalization, excessive, 1940: March, 384
- Dihydrotachysterol, 1940: March, 446, May, 763, 767, 834, July, 1024
- Dilatation of cervix in dysmenorrhea, 1939: March, 289
- of stomach, postoperative, 1938: Jan., 224
- Dilaudid in incurable cancer, 1940: May, 596
- Dimethyl-dihydrocalciferol, 1940: May, 761
- Diphtheria, ear, nose and throat manifestations, 1938: Nov., 1659
- faucial, 1940: Sept., 1526
- vaginal lesions, 1938: May, 764
- Dislocations, atlo-axoid, spontaneous, 1938: July, 1120
- short wave diathermy in, 1939: Jan., 129
- Diuresis, effect of sedatives on, 1940: May, 869
- in congestive heart failure, 1938: July, 1142; 1939: March, 469
- in nephritis, 1938: July, 955
- Diverticula of colon, constipation due to, 1939: Nov., 1672
- of duodenum, roentgen study, 1938: July, 1063
- of esophagus, 1940: March, 555
- of small intestine, 1939: March, 507
- urethral, 1940: Nov., 1809
- Diverticulitis of colon, colonic irrigations in, 1938: May, 788
- in aged, 1940: Jan., 20
- Diverticulosis of colon in aged, 1940: Jan., 20
- roentgen examination, 1938: March, 435
- Diverticulum, Meckel's, 1938: Jan., 159, July, 1064; 1939: Jan., 151
- Douche, vaginal, in gonorrhea, 1939: March, 346
- Dourmashkin's syndrome, 1938: Nov., 1771
- Drisdol, 1939: May, 694
- Drug addiction, 1939: Nov., 1735
- and constipation, 1939: Nov., 1668
- scarlet fever and, differentiation, 1940: Sept., 1535
- Drugs, agranulocytosis due to, 1938: Nov., 1671, 1673
- pruritus vulvae due to, 1939: March, 311
- Ductless glands, diseases of, emergencies in, 1938: July, 979
- Ductus arteriosus, patent, 1940: Sept., 1348
- Duodenal drainage, 1940: March, 473, Nov., 1711
- ileus, postoperative, 1938: Jan., 224
- Duodenum, diverticula of, roentgen study, 1938: July, 1063

- Duodenum, hemorrhage from, 1939: July, 861  
tuberculosis, 1939: July, 887  
tumors, 1939: July, 881
- Duplay's disease, 1940: March, 525
- Dust allergy and asthma, 1939: Nov., 1610, 1611
- Dwarfism, 1938: March, 514, May, 807; 1940: July, 962  
pseudo-, from diabetes in childhood, 1939: Nov., 1526
- Dwight-Frost cardiorespiratory test, 1939: March, 478
- Dyscrasias, blood, emergencies arising in, 1938: July, 907
- Dysentery, amebic, 1938: July, 1082; 1939: March, 520, 521, Sept., 1272  
bacillary, 1938: May, 849, July, 1081; 1939: March, 522, May, 603  
chronic, 1939: Sept., 1275  
in adult, 1939: March, 513
- Dyskinesia, biliary, 1939: Jan., 64, 81
- Dysmenorrhea, 1938: March, 523; 1939: Jan., 216, March, 273
- Dyspepsia, chronic, 1938: March, 417, Sept., 1407  
functional, 1938: July, 1045  
of extragastro-intestinal origin, 1938: March, 407  
selective, in gallbladder disease, 1939: Jan., 14  
symposium on, 1939: July, 847
- Dysphagia, 1940: March, 555  
in cardiovascular disease, 1940: March, 381  
of anemic women, 1940: March, 564
- Dyspnea, cardiac, paroxysmal, 1938: Nov., 1735; 1940: Sept., 1314  
expiratory, in tuberculosis in children, 1939: May, 651  
in aged after prolonged bed rest, 1940: Sept., 1315  
in heart disease, 1938: July, 1130, 1134; 1939: Sept., 1293; 1940: Sept., 1307  
secondary to water retention, 1940: Sept., 1316
- Dystrophia adiposogenitalis, 1938: Jan., 167; 1939: Nov., 1456
- EAR, complications in, as indication for tonsillectomy, 1938: Nov., 1607  
diseases, symposium on, 1938: Nov., 1565
- Echinococcus cyst of pancreas, 1940: May, 859
- Eclampsia, 1939: March, 405, Sept., 1333
- Eclamptic coma, 1938: May, 620
- Eczema, 1938: March, 333, 373  
allergic factors, 1938: March, 333  
in scarlet fever, 1938: Sept., 1379  
infantile, 1938: March, 338, 345, May, 795  
occupational, 1938: March, 373  
seborrhoeic, 1939: Nov., 1647  
vaccinatum, 1938: May, 785
- Edema, angioneurotic, in aged, 1940: Jan., 154  
in heart disease, 1939: Sept., 1295  
in kidney disease, 1939: March, 453  
of lips, allergic, 1938: March, 310  
pulmonary, 1939: July, 959, 995; 1940: May, 624  
serum and acacia in, 1940: May, 807
- Electrical injuries, 1938: May, 686, July, 1021  
of central nervous system, 1938: May, 663, 687  
reactions in flaccid paraplegias, 1939: May, 816  
in spastic muscles, 1938: Sept., 1518  
shock, 1938: May, 686, July, 1023, 1025  
stimulation of muscles in pediatrics, 1939: May, 708  
therapy in constipation, 1939: Nov., 1678
- Electrocardiography, 1938: May, 776; 1939: July, 1017, Sept., 1305; 1940: May, 581, Sept., 1326  
general practitioner and, 1940: Sept., 1325  
in adolescence, 1938: May, 813  
in menopause, 1940: May, 921  
value of chest leads in, 1938: July, 1147, 1150; 1940: May, 891
- Electrocoagulation in skin diseases, 1938: Sept., 1317
- Electrolysis in skin diseases, 1938: Sept., 1314
- Electrolyte excretion in diseases of nervous system, 1940: Sept., 1557
- Electrotherapy in flaccid paralysis, 1939: May, 832
- Elimination diets, 1940: July, 1242  
tests in allergy, 1938: March, 278
- Elliott treatment in gonococcal salpingitis, 1939: March, 347
- Elusive ulcer, 1939: March, 374
- Embolism, arterial, 1938: March, 466  
cerebral, 1938: May, 582, July, 938  
in heart disease, 1938: July, 903  
pulmonary, 1938: March, 476, July, 939; 1939: July, 993
- Emergencies, medical, symposium on, 1938: July, 879
- Emetine in amebic dysentery, 1939: Sept., 1272

## 1884 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Emotionally disturbed child, pediatrician and, 1939: May, 715
- Emphysema, pulmonary, in aged, 1940: Jan., 33
- Empyema, pneumococcal, 1938: Jan., 61; 1939: Sept., 1215
- pulmonary, in asthma, 1939: Nov., 1617
- staphylococcal, in infant, 1938: Sept., 1488
- thoracic, 1939: Sept., 1355
- Encephalitis, behavior disorders following, 1940: July, 1179
- headache in, 1940: March, 305
- menstrual disturbances with, 1939: Jan., 219
- Encephalography, headache following, relief of, 1939: July, 987
- Encephalopathy, hypertensive, headache in, 1940: March, 367
- nicotinic acid deficiency, 1940: May, 735
- Endamoeba histolytica, 1939: March, 520
- Endocarditis, bacterial, 1938: May, 780; 1940: March, 391
- gonococcal, sulfanilamide in, 1939: Sept., 1185
- pneumococcal, 1939: Sept., 1219
- Endocrine disturbances, 1938: May, 805; 1940: July, 941, 946
- asthenia in, 1939: Nov., 1730
- effect on autonomic nervous system, 1938: Nov., 1815
- preparations, 1938: Nov., 1813
- problems in aged, 1940: Jan., 79
- therapy, 1938: Nov., 1813; 1940: July, 941, 948
- in arthritis, 1940: Nov., 1697
- in clinical endocrinopathies, 1938: Nov., 1815
- in cryptorchidism, impotence and prostatic obstruction, 1940: July, 1057
- in dysmenorrhea, 1939: March, 282
- in obesity in children, 1938: Jan., 176
- present status, symposium on, 1940: July, 941
- Endometrial biopsy, 1940: Jan., 177, July, 1082
- Endothelioma capitis, 1939: Nov., 1645
- Endothermy in skin diseases, 1938: Sept., 1316
- Enema habit, and constipation, 1939: Nov., 1668
- Enemas, spastic irritable bowel due to, 1940: Jan., 194, 200
- Enteritis, 1939: March, 514
- Enteritis, amebic, 1938: July, 1082; 1939: March, 520, 521, Sept., 1271
- tuberculous, 1940: Jan., 233
- Enzymes, proteolytic, in hemophilia, 1940: May, 800
- Ephedrine in myasthenia gravis, 1940: May, 772
- Epididymitis, medical diathermy in, 1940: March, 549
- Epilepsy, 1938: Sept., 1501; 1939: Sept., 1394
- convulsions, coma after, 1938: May, 619
- Epinephrine, heart disorder from, 1939: Sept., 1331
- in asphyxia neonatorum, 1939: July, 1069
- in bronchial asthma, dangers, 1940: Nov., 1851
- Epistaxis, Russell's viper venom in, 1940: May, 784
- Epithelioma, 1939: Jan., 245, 247
- benign, in aged, 1940: Jan., 141
- Equilibrium tests, 1938: May, 564
- Ergonovine in postpartum hemorrhage, 1938: Jan., 205
- Ergosterol, 1939: May, 691; 1940: May, 760, 766
- Ergot in labor, 1939: July, 1053
- Erosions, cervical, 1939: March, 385
- Erysipelas, ultraviolet therapy, 1939: May, 710
- Erythema nodosum, 1938: Sept., 1337; 1939: May, 650
- Erythroblastemia, 1939: May, 581
- Erythroblastosis foetalis, 1939: May, 581
- Erythrocytes, transfused, survival of, 1940: May, 705
- Erythrocytosis, 1940: March, 485, 486
- Erythromelalgia, 1938: March, 466; 1940: July, 1169
- Eschatin, 1938: Nov., 1830
- in Addison's disease, 1940: Nov., 1783
- Eserine in myasthenia gravis, 1940: May, 770
- Esophagitis, 1940: March, 562
- Esophagus, carcinoma, 1940: March, 557
- cicatricial stricture, 1940: March, 564
- disease, chest pain from, 1939: Sept., 1314
- diverticula, 1940: March, 555
- foreign bodies, 1940: March, 557
- lesions, roentgen diagnosis, 1940: Sept., 1542
- peptic ulcer, 1940: March, 563
- spasm, 1940: March, 561

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1885

- Esophagus, varices, 1938: July, 973,  
1940: March, 564
- Esthiomene, 1938: May, 765, Sept.,  
1267
- Estradiol benzoate in pruritus vulvae,  
1939: March, 325
- Estrogen, and dysmenorrhea, 1939:  
March, 279  
therapy in gonococcal vaginitis of  
children, 1939: March, 336  
in menopausal arthritis, 1940:  
Nov., 1698  
in ovarian dysfunction, 1940:  
May, 928, July, 1071  
in pruritus vulvae, 1939: March,  
324  
test of circulatory efficiency, 1939:  
March, 476
- Estrogens, synthetic, 1940: July,  
1073
- Estrone, 1938: Nov., 1826
- Ethmoid sinus disease, 1938: Nov.,  
1592
- Ethmoiditis, allergic, 1938: March,  
283
- Euglobulin substance in hemophilia,  
1940: May, 796
- Eunuchoid states, testosterone in,  
1938: Sept., 1541
- Exanthematous diseases, acute, skin  
manifestations, 1938: Sept., 1355
- Exercise, effects in early heart disease,  
1938: July, 1130  
in arthritis, 1940: Nov., 1694  
increased metabolism after, 1939:  
Nov., 1476
- Exercises in constipation, 1939: Nov.,  
1677  
in diabetes in childhood, 1939:  
Nov., 1523  
in flaccid paralysis, 1939: May, 831  
in obesity, 1939: Nov., 1463  
in pediatrics, 1939: May, 707
- Exophthalmic goiter, 1938: July, 997;  
1940: July, 1001
- Extrasystoles, 1939: Sept., 1294, 1300  
electrocardiography and, 1940:  
Sept., 1329  
in aged, 1940: Jan., 29
- Extra-uterine pregnancy, diagnostic  
errors, 1938: Jan., 213
- Eyelids, xanthelasma of, 1940: July,  
1260
- Eyes, allergic manifestations in, 1938:  
March, 287; 1939: Sept., 1248  
diseases, in aged, 1940: Jan., 129  
medical diathermy in, 1940:  
March, 550  
headache originating in, 1940:  
March, 335, July, 1165  
short wave diathermy to, 1939:  
Jan., 128, 135
- FACE, chronic destructive lesions,  
1939: Jan., 245
- Facial nerve, examination, 1938: May,  
558  
paralysis, 1938: March, 506
- Fallopian tubes, examination, 1940:  
Jan., 175
- Farsightedness, headache in, 1940:  
March, 337
- Fascitis with sciatica, 1938: March,  
531
- Fat cirrhosis, 1939: May, 753, 755  
diabetic patient, treatment, 1939:  
Nov., 1499
- Fatigue, precordial pain due to, 1938:  
March, 474
- Favism, 1938: July, 912
- Favus, 1939: Nov., 1652
- Fecal impaction, 1939: Nov., 1672
- Feeding in newborn, 1938: May, 819  
of infants, 1939: May, 569
- Feet. See *Foot*.
- Femur, neck, fractures of, in aged,  
1940: Jan., 71
- Fetal distress, 1939: July, 1061
- Fever, increased metabolism in, 1939:  
Nov., 1476  
therapy, complications, 1938: July,  
1016  
in chorea minor, 1939: May, 712  
in diseases of nervous system,  
1940: Sept., 1555  
in gonorrhea in women, 1938:  
Sept., 1429; 1939: March,  
348  
combined with sulfanilamide,  
1938: Sept., 1437  
in neurosyphilis, 1938: Jan., 244;  
1939: July, 1109; 1940: Sept.,  
1555  
in undulant fever, 1938: Jan., 254  
mechanism of, 1940: Sept., 1568  
reactions to, 1940: Sept., 1570
- Fibrinogen in blood in liver disease,  
1939: Jan., 24
- Fibroma, myxoid, nasal, 1938: Nov.,  
1636
- Fibrositis, 1940: July, 1205, Nov.,  
1647  
blood in, 1940: Nov., 1638  
effect of jaundice on, 1940: July,  
1212, 1214, 1216
- Fiedler's myocarditis, 1939: Sept.,  
1338
- Fish liver oils, 1939: May, 689
- Fissure, anal, office treatment, 1939:  
Nov., 1687
- Fistula, arteriovenous, 1940: Sept.,  
1350
- Flatulence, 1939: July, 891
- Focal infection, arthritis and, 1940:  
Nov., 1673

- Focal infection, nonspecific prostatitis and, 1938: July, 1181  
tonsils in, 1938: Nov., 1607  
Folliculitis of scalp, 1939: Nov., 1646  
Follutein, 1938: Nov., 1828  
Food absorption, 1939: Nov., 1474  
allergy, 1938: March, 297, July, 1052, Nov., 1835; 1940: July, 1239  
factors in malnutrition, 1939: Nov., 1469, 1471, 1473, 1476, 1478  
poisoning, abdominal pain in, 1938: July, 1036, 1037  
Foot, athlete's, 1938: Sept., 1392  
gangrenous, painful, in senile diabetic, 1940: Jan., 114  
Microsporion lanosum infection, 1939: Sept., 1285  
Monilia infection, 1939: Sept., 1286  
perforating ulcer, 1938: Sept., 1286, 1270  
Foreign bodies in esophagus, 1940: March, 557  
protein therapy in asthma, 1939: Nov., 1623  
in gonococcal salpingitis, 1939: March, 349  
in pruritus, 1939: Nov., 1641  
Formic acid injections in sciatica, 1938: Nov., 1786  
Fractures, medical diathermy in, 1939: Jan., 132; 1940: March, 545  
of spine, 1938: July, 1118  
Fragility test in liver disease, 1939: Jan., 24  
Frei antigen, 1940: May, 688  
test, 1939: Jan., 228, March, 519  
Friedman test in missed abortion, 1939: March, 395  
Friedreich's ataxia, 1939: May, 826, Sept., 1340  
Fröhlich's syndrome, 1938: Jan., 167, March, 515, May, 811; 1939: Jan., 181; Nov., 1456; 1940: July, 964, 965  
Frontal sinus disease, 1938: Nov., 1593  
Frost's test, 1938: May, 776  
Frostbite, 1938: July, 1019  
Fruits, carbohydrate content, 1939: Nov., 1512  
Functional bowel, 1938: Jan., 139, 141, 144  
conditions, abdominal pain in, 1938: July, 1044  
Fundus, changes in, in vascular disease of aged, 1940: Jan., 131  
Fungus dermatitis, 1938: March, 378, 398  
infection of bladder, 1939: March, 376  
of skin, 1939: Sept., 1279  
Fusospirochetosis, diagnosis, 1940: March, 463
- GAENSLEN's sign, 1940: July, 1193, Nov., 1759  
Gait, scissors, 1938: Sept., 1516  
spastic paraplegic, 1938: Sept., 1516  
Galactose test of liver function, 1939: Jan., 23  
Gallbladder, atonic, 1939: Jan., 64  
disease, arthritis and, 1940: Nov., 1681, 1709  
biliary colic in, 1939: Jan., 75  
bowel spasm and, 1939: Jan., 64, 81  
cholecystography in, 1939: Jan., 27  
clinical signs and symptoms, 1939: Jan., 3  
coronary thrombosis in, 1939: Jan., 33  
differential diagnosis, 1938: July, 1040; 1939: Jan., 3, 12  
in aged, 1940: Jan., 17  
jaundice in, 1939: Jan., 17, 20, 83  
laboratory examination, 1939: Jan., 17  
medical management, 1939: Jan., 43, 53  
symposium on, 1939: Jan., 1  
pruritus in, 1939: Nov., 1638  
xanthoma secondary to, 1939: May, 755  
nonvisualization, 1939: Jan., 52  
strawberry, 1939: May, 753  
surgery, problems of patient after, 1938: Nov., 1683  
xanthomatosis, 1939: May, 753  
Galvanic current in arthritis, 1940: Nov., 1689  
Gangrene, arteriosclerotic, 1938: March, 466  
diabetic, 1938: July, 1191; 1939: Nov., 1544; 1940: Jan., 114, 118  
Gastric. See also *Stomach*.  
neurosis, 1938: Jan., 140  
tetany, 1938: Jan., 224  
Gastritis, 1938: May, 742; 1939: July, 847, 855; 1940: Jan., 17, Sept., 1550  
Gastro-intestinal allergy, 1938: March, 297, 412, Nov., 1835; 1939: Jan., 239  
disease, back pain in, 1938: May, 749  
chest pain in, 1939: Sept., 1314  
disturbances in old people, 1940: Jan., 6, 9  
emergencies, 1938: July, 883, 889  
manifestations of cardiovascular disease, 1940: March, 381  
pathology in infancy, 1938: Jan., 153  
tract, upper, roentgenology of, 1940: Sept., 1541

- Gastroscopy, 1938: May, 747; 1940: March, 493
- Gaucher's disease, 1939: May, 740; 1940: July, 1255
- Genitalia, female, examination, 1940: Jan., 167
- Genito-urinary conditions, differential diagnosis, pain in, 1938: July, 1038, 1043
- Geographical skull, 1939: May, 744, 745
- Geriatrics, symposium on, 1940: Jan., 1
- German measles, 1938: Sept., 1373, 1375; 1940: Sept., 1532
- Gigantism, 1938: March, 514; 1940: July, 969
- Glaucoma simplex, 1940: Jan., 136
- Globin insulin in diabetes, 1940: May, 658, 659, 660
- Globulin substance in hemophilia, 1940: May, 794
- Globus hystericus, 1940: March, 562
- Glomerulonephritis, 1938: July, 954, 1215; 1939: Sept., 1333, Nov., 1707; 1940: Nov., 1830
- Glossitis, 1940: Jan., 12
- Glucose in eclampsia, 1939: March, 409
- in hyperemesis gravidarum, 1939: March, 419
- tolerance, impaired, in alcoholism, 1940: May, 673
- with insulin in alcoholism, 1940: May, 675
- with saline in postpartum hemorrhage, 1938: Jan., 205
- Glycocol in myasthenia gravis, 1940: May, 772
- Glycogen disease, heart disease and, 1939: Sept., 1329
- Glycosuria in pancreatic disease, 1940: Jan., 223
- Goiter, adenomatous, with hyperthyroidism, 1940: July, 995
- without hyperthyroidism, 1940: July, 994
- colloid, diffuse, 1940: July, 993
- exophthalmic, 1938: July, 997; 1940: July, 1001, 1002, 1010
- toxic, in aged, 1940: Jan., 80
- jaundice with, 1938: Nov., 1769
- use of iodine in, 1938: March, 489; 1940: July, 996, 1002
- Gold and sodium tetrabromide in epilepsy, 1938: Sept., 1501
- salts in arthritis, 1940: Nov., 1642, 1727, 1774
- Gold tribromide in whooping and other coughs, 1938: Sept., 1495
- Goldthwaite's sign, 1940: Nov., 1759
- Gonadectomy, effects of, 1938: Sept., 1539
- Gonadotropic hormone, 1940: July, 959
- in obesity in children, 1938: Jan., 177
- therapy, 1938: Nov., 1828
- Gonococcal strains, sulfanilamide-resistant, 1939: Sept., 1188
- Gonorrhea, complement fixation test, 1938: Jan., 188, May, 847
- immune bodies in, 1938: May, 840
- in women, hyperpyrexia in, 1938: Sept., 1429, 1437
- sulfanilamide in, 1938: Sept., 1429
- jaundice in, 1938: Nov., 1771
- leukorrhea in, 1940: May, 915
- medical diathermy in, 1940: March, 549
- pathogenesis, 1938: May, 841
- serological control, 1938: Jan., 181
- sulfanilamide in, 1938: March, 455; 1939: March, 366, July, 933, Sept., 1173, 1194
- sulfanilyl sulfanilamide in, 1939: Sept., 1189
- sulfapyridine in, 1939: Sept., 1189
- Gonorrheal arthritis, 1938: May, 839; 1939: Sept., 1185; 1940: Nov., 1640
- cervicitis, 1939: March, 383
- endocarditis, 1939: Sept., 1185
- meningitis, 1939: Sept., 1185
- ophthalmia, 1939: Sept., 1184
- proctitis, 1939: Jan., 205
- salpingitis, 1939: March, 345
- tenosynovitis, 1939: Jan., 132
- vaginitis, 1938: May, 761; 1939: Jan., 191, 195, March, 335, May 661, Sept., 1184; 1940: July, 1072
- Gout, 1939: Nov., 1437; 1940: March, 429, Nov., 1639
- Gouty tenosynovitis, 1939: Jan., 132
- Graham-Cole test, 1939: Jan., 27
- Grand mal attacks, 1939: Sept., 1395
- Granulocytopenia, emergencies in, 1938: July, 926
- Granuloma annulare, 1938: Sept., 1337
- Granulomatosis, lipoid, 1939: May, 744
- Grippe, prevention and treatment, 1940: Jan., 185
- Grisel's disease, 1938: July, 1120
- Growth, diet and, 1939: May, 725
- disturbances, 1938: May, 806
- hormone, 1940: July, 958
- therapy, 1938: Jan., 177; Nov., 1824
- Guanidine in myasthenia gravis, 1940: May, 772
- Gumma, 1938: Sept., 1265
- of brain, headache in, 1940: March, 363

# 1888 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Gumma of face and neck, 1939: Jan., 252  
of liver, 1940: Jan., 210  
Gummatous aortitis, 1939: Sept., 1341  
involvement of joints, 1938: Sept., 1277  
Gums, infected, and arthritis, 1940: Nov., 1674  
Gynecologic conditions, abdominal pain in, 1938: July, 1038, 1043  
examination, technic, 1940: Jan., 165  
problems in old women, 1940: Jan., 63  
Gynecology, medical diathermy in, 1940: March, 549  
symposium on, 1939: March, 273  
Gynecomastia, 1940: Nov., 1786  
Gynergen in migraine, 1940: July, 1174
- HAIR, falling of, 1939: Nov., 1661  
Halibut liver oil, 1939: May, 690  
Hand, accoucheur's, 1938: July, 1005  
Hand-Schüller-Christian's disease, 1939: May, 744; 1940: July, 1255  
Harnapp's treatment of rickets, 1939: May, 695; 1940: May, 765  
Hashimoto's thyroiditis, 1940: July, 1016  
Hay fever, 1938: March, 359; 1940: Jan., 152  
skin tests, 1938: March, 363  
therapy, constitutional reactions, 1939: Sept., 1255  
Head catarrh with deafness, 1938: Nov., 1631  
erythromelalgia of, 1940: July, 1169  
injuries, headache following, 1940: March, 306, July, 1164  
Headache, 1940: March, 285; July, 1159  
allergic, 1938: March, 325; 1940: March, 285, 288  
bilious, 1940: March, 341  
due to intracranial lesions, 1940: March, 301, July, 1160  
following encephalography, 1939: July, 987  
in arthritis of cervical spine, 1940: March, 329  
in biliary tract disease, 1940: March, 345  
in brain diseases, 1940: March, 305, July, 1160  
in cardiovascular disease, 1940: March, 321, 322, 367, July, 1162, 1163  
in chromophobe adenoma of pituitary, 1940: July, 981  
in heart disease, 1940: Sept., 1317
- Headache, lumbar puncture, 1940: March, 307  
mechanism of, 1940: March, 301, 302  
migrainous, 1938: May, 689; 1940: March, 285, July, 1166, 1171  
nonallergic, 1940: March, 289  
of aural origin, 1940: July, 1165  
of gastro-intestinal origin, 1940: March, 341  
of nasal origin, 1940: March, 311  
of ocular origin, 1940: March, 335; July, 1165  
of renal origin, 1940: March, 365  
of syphilitic origin, 1940: March, 349  
pituitary, 1940: July, 1166  
posttraumatic, 1940: March, 306, July, 1164  
psychoneurotic, 1940: July, 1169  
rheumatic, 1940: July, 1165  
"sick," 1940: March, 285  
sinus, 1940: March, 289  
symposium on, 1940: March, 285  
toxic, 1940: July, 1165  
vacuum frontal, 1940: March, 311  
Hearing, testing, 1938: May, 558  
Heart ache, 1940: Sept., 1301  
allergy of, 1939: Jan., 234  
beriberi, 1940: Sept., 1360  
block, 1939: Jan., 101; 1940: May, 592  
concussion of, 1939: Sept., 1332  
consciousness, 1940: Sept., 1297  
disease, curable, 1940: Sept., 1347  
diagnosis, 1939: July, 1007  
electrocardiography in, 1940: May, 891  
emergencies, 1938: July, 895  
in aged, 1940: Jan., 23  
in surgical patient, 1938: Sept., 1505  
not well recognized causes, 1939: Sept., 1323  
oxygen therapy, 1939: July, 996; 1940: May, 622  
pain in, 1939: Sept., 1309; 1940: Sept., 1300, 1405  
paroxysmal dyspnea in, 1938: Nov., 1735  
physical examination, 1939: Sept., 1296  
symptoms and their interpretation, 1940: Sept., 1295  
disorders, in anemia, 1940: Sept., 1356  
in ovarian dysfunction, 1940: May, 926  
in thyrotoxicosis, 1940: Sept., 1352  
examination, in general practice, 1939: Sept., 1291



- Heart failure, congestive, 1938: May, 853, July, 1137; 1939: March, 464; 1940: March, 384, 389  
headache in, 1940: March, 325  
in adenomatous goiter with hyperthyroidism, 1940: July, 997  
in beriberi, 1939: May, 760  
in exophthalmic goiter, 1940: July, 1008  
jaundice in, 1938: Nov., 1770; 1940: March, 387  
early, diagnosis, 1938: July, 1129  
operative risk in, 1938: Sept., 1509  
paradoxical, 1940: Sept., 1315  
shock with, 1939: March, 474  
strophanthin therapy, 1940: May, 877  
functional tests, 1938: May, 773, 778; 1939: March, 475  
involvement in influenza, 1938: Jan., 111, 119  
irregularities, electrocardiography in, 1940: Sept., 1328  
myxedema, 1940: Sept., 1362  
neoplastic infiltration, 1939: Sept., 1338  
rate, postural responses, 1940: July, 1095  
rhythm, disorders of, treatment, 1940: May, 577, 827  
rupture of, 1940: Sept., 1373  
tamponade, 1940: Sept., 1357, 1372  
Heat, contact with, emergencies arising from, 1938: July, 1009  
control box in diabetic gangrene, 1940: Jan., 116  
external, deleterious effects, 1938: July, 1009  
therapy in arthritis, 1940: Nov., 1685  
in flaccid paralysis, 1939: May, 828  
in pediatric conditions, 1939: May, 705  
in pelvic infections in women, 1939: July, 1042  
in sciatica, 1938: Nov., 1784  
in skin diseases, 1938: Sept., 1320  
Helium-oxygen therapy, recent advances, 1940: May, 621  
in bronchial asthma, 1940: May, 625  
in surgery, 1939: July, 997  
Hematemesis, 1938: May, 737, July, 889  
Hematoma, subdural, 1938: May, 579, 585  
headache in, 1940: March, 304  
Hematoporphyrin, neuritis due to, 1938: Nov., 1790  
Hematuria, emergencies in, 1938: July, 958  
in aged, 1940: Jan., 161  
in renal tumor, 1940: March, 412  
Hemiplegia, test for, 1938: May, 578  
Hemoglobinuria following sulfanilamide, 1939: Sept., 1143  
paroxysmal, 1938: July, 918  
Hemo-irradiation, Knott technic, 1940: May, 726  
Hemolytic anemia, 1938: July, 910; 1940: Sept., 1451  
crises, 1938: July, 911, 920  
jaundice, 1939: Jan., 18, 19  
Hemopericardium, acute, 1940: Sept., 1359, 1371  
Hemophilia, 1940: Sept., 1456  
emergencies in, 1938: July, 931  
fresh or stored blood transfusion in, 1940: May, 718  
treatment, recent advances, 1940: May, 781, 791  
Hemorrhage, acute, fresh or stored blood in, 1940: May, 718  
anemia from, emergency aspects, 1938: July, 907  
cerebral, 1938: March, 479, May, 583  
control by local application of Russell viper venom, 1940: May, 777  
gastro-intestinal, 1938: May, 737, July, 889, 893, 973; 1939: July, 861  
in obstructive jaundice, 1938: July, 973  
massive, from peptic ulcer, 1938: Nov., 1711  
menopausal, 1939: March, 295  
postpartum, 1938: Jan., 201, July, 1197  
in twin labor, 1939: March, 443  
subarachnoid, primary, 1938: May, 578  
headache in, 1940: March, 304, 326  
Hemorrhagic disease of newborn, 1940: Sept., 1457  
disorders, 1940: Sept., 1455  
in hepatic disease, 1938: July, 972  
Hemorrhoids, office treatment, 1939: Nov., 1683  
Hemostatics, commercial, relative potency of, 1940: May, 779  
Hepatic. See also *Liver*.  
jaundice, 1939: Jan., 17, 18, 19  
Hepatitis, antagonistic effects, 1940: July, 1210, 1221  
infectious, chronic hypoglycemia in, 1939: Nov., 1492, 1495  
syphilitic, ascites in, 1938: July, 1172  
toxic, 1938: Nov., 1766

# 1890 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Hepatitis, toxic, following sulfanilamide, 1939: Sept., 1139, 1183
- Hepatization in pneumonia, 1938: Jan., 14
- Hepatomegaly from diabetes in children, 1939: Nov., 1528
- Heredity in diabetes, 1939: July, 1094
- in obesity, 1939: Nov., 1450
- Hermaphroditism, 1938: May, 809
- Hernia, diaphragmatic, 1940: March, 565
- hiatus, chest pain in, 1939: Sept., 1315
- roentgen diagnosis, 1940: Sept., 1551
- Herniation of nucleus pulposus, 1938: March, 532
- Herpes zoster, chest pain in, 1939: Sept., 1316
- Hiatus hernia, chest pain in, 1939: Sept., 1315
- High altitudes, anoxemia of, 1939: July, 981
- frequency currents in skin diseases, 1938: Sept., 1316
- Histaminase in food allergy, 1940: July, 1246
- Histidine hydrochloride in chronic ulcerative colitis, 1940: May, 699
- History, importance of, in diagnosis, 1940: Sept., 1401
- Hoarseness, aspects of, 1938: Sept., 1463
- Hodgkin's disease, anemia of, 1940: March, 453
- Hoffmann sign, 1938: May, 561
- Honeymoon cystitis, 1939: March, 358
- Hoover's sign, 1939: Sept., 1296
- Hormones, nature of, 1940: July, 944
- pituitary, 1940: July, 958
- relation to vitamins, 1938: Nov., 1815
- sex, female, 1938: Nov., 1826
- male, 1938: Sept., 1537
- testicular, 1940: July, 1058
- therapy. See *Endocrine therapy*.
- urinary, in adolescents, 1938: May, 815
- Horner's syndrome, 1938: July, 1113
- Hühner's test for sterility, 1940: Jan., 182
- Human factors in caring for patients, 1939: Sept., 1401
- Hunner's ulcer, 1938: Jan., 194; 1939: March, 374
- Hutchinsonian teeth, 1939: Nov., 1588, 1589, 1592
- Hydatid cysts of liver, 1940: Jan., 211
- Hydramnios in twin pregnancy, 1939: March, 434
- Hydrochloric acid in achlorhydria, 1938: Sept., 1416
- Hydronephrosis in aged, 1940: Jan., 162
- Hydrops, congenital, anemia following, 1939: May, 581
- Hydrostatic bag in labor, 1939: July, 1055
- Hydrotherapy in arthritis, 1940: Nov., 1689
- in constipation, 1939: Nov., 1678
- Hypercholesteremia, visceral, 1939: May, 753
- Hypercortico-adrenalism, 1940: July, 1048
- Hyperinsulinism, 1939: Nov., 1481, 1490
- Hyperlipemia, systemic diseases with, 1940: July, 1252
- Hyperemesis gravidarum, 1939: March, 417
- Hypernephroma, 1940: March, 414
- Hyperparathyroidism, 1940: July, 1027
- Hyperpituitarism, 1940: July, 969
- Hyperproteinemia, heart disease and, 1939: Sept., 1329
- Hyperpyrexia in diseases of nervous system, 1940: Sept., 1555
- in gonorrhea in women, 1938: Sept., 1429, 1437
- Hypertension, 1940: Nov., 1823
- acetyl-beta-methylcholine in, 1940: May, 825
- essential, 1939: March, 487, July, 1021; 1940: March, 397, Nov., 1824
- cold pressor test and, 1940: July, 1092
- colonic irrigations in, 1939: May, 787
- headache in, 1940: March, 322, 367, July, 1162
- high basal metabolic rate in, 1940: March, 405
- in aged, 1940: Jan., 28, 131
- in diabetes, 1939: Nov., 1572
- malignant, 1940: March, 395
- pyelonephritis and, 1940: Sept., 1467
- simulating hyperthyroidism, 1940: March, 395
- xanthomatosis secondary to, 1939: May, 756
- Hypertherm in diseases of nervous system, 1940: Sept., 1556
- in syphilis, 1939: July, 1112
- Hyperthermia in gonococcal salpingitis, 1939: March, 348
- Hyperthyroid crisis in exophthalmic goiter, 1940: July, 1006
- Hyperthyroidism, 1938: Nov., 1816; 1940: July, 995, 1001
- and diabetes, 1939: July, 1086

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1891

- Hyperthyroidism and diabetes, protamine zinc insulin in, 1938: May, 729, 733  
hypertension simulating, 1940: March, 395  
iodine in, 1938: March, 489  
with acromegaly, 1940: July, 971  
Hypertonic infant, 1939: May, 607  
Hypertrichosis, electrolysis in, 1938: Sept., 1315  
Hyperuricemia in gout, 1940: March, 434  
Hyperventilation, tetany from, 1940: July, 1021  
Hypervitaminosis, heart disease and, 1939: Sept., 1327  
Hypesthesia, tests for, 1938: May, 562  
Hypnosis, recent advances, 1940: May, 603  
Hypnotics, effect on diuresis, 1940: May, 871  
Hypochondriasis, 1940: Sept., 1495, 1506  
Hypocortico-adrenalism, 1940: July, 1040  
Hypogastric plexus resection for dysmenorrhea, 1939: March, 290  
Hypoglycemia, chronic, 1939: Nov., 1481, 1493  
heart disease and, 1939: Sept., 1330  
Hypoglycemic reactions in diabetes in childhood, 1939: Nov., 1524  
to protamine zinc insulin, 1938: May, 716  
states, 1938: July, 988  
Hypolipemia, systemic diseases with, 1940: July, 1253  
Hypoövarianism, 1938: March, 509, 520  
circulation and, 1940: May, 919  
estrogenic hormone in, 1940: May, 928  
pituitary, 1938: March, 516  
Hypoparathyroidism, 1940: July, 1019  
dihydrotachysterol in, 1940: May, 833  
vitamin therapy, 1940: May, 767  
Hypophysis. See *Pituitary gland*.  
Hypopituitarism, 1940: July, 962  
arthritis and, 1940: Nov., 1706  
hypothyroidism secondary to, 1939: Jan., 181  
Hypotension, postural, idiopathic, 1940: July, 1104  
Hypothyroidism, 1938: March, 510, Nov., 1818; 1939: Jan., 79, 175  
arthritis and, 1940: Nov., 1704  
and obesity in children, 1938: Jan., 163, 176  
Hysterectomy in menorrhagia and metrorrhagia, 1940: July, 1081  
Hysteria, 1938: May, 591, 601; 1940: Sept., 1494, 1495, 1503, 1505  
as problem in general hospital, 1938: May, 591  
emotional bondage to parent as cause, 1938: May, 593  
traumatic, 1938: May, 655  
Hysterical paralyses, 1939: May, 825, 834  
Hysterosalpingography, 1940: Jan., 180, 181  
ICTERUS gravis neonatorum, anemia following, 1939: May, 581  
index, 1939: Jan., 20  
Ileitis, hyperplastic, 1938: July, 1068-1071  
regional, 1939: March, 509  
Ileus, paralytic, 1938: Jan., 224; 1939: Nov., 1672  
Iliotibial bands, contracted, 1940: July, 1199  
Immune bodies in gonococcal infections, 1938: May, 840  
Impetigo, 1938: Sept., 1360, 1365, 1388  
Impotence, 1940: Jan., 84, July, 1062  
Indigestion, acute, 1940: Sept., 1411  
allergic factors, 1938: March, 297  
chronic, 1938: March, 417, Sept., 1407  
extragastro-intestinal origin, 1938: March, 407  
functional, 1938: March, 299, July, 1045  
nervous, 1938: Jan., 140, July, 1045  
Infantile paralysis. See *Poliomyelitis*.  
Infantilism, 1938: March, 514; 1940: July, 962  
speech, 1938: May, 608  
Infants, feeding, 1938: May, 819; 1939: May, 569  
gonorrheal vaginitis of, 1939: March, 335, May, 661  
hypertonic, 1939: May, 607  
nutritional disorders in, 1938: May, 829  
Salmonella infection in, 1939: May, 593  
urinary infections in, 1939: May, 669  
Infections, anaerobic, 100 per cent oxygen in, 1939: July, 990  
constitutional, with postural maladaptations, 1940: July, 1108  
fresh or stored blood in, 1940: May, 719  
Infectious diseases, acute, peripheral circulation in, 1940: Sept., 1387  
polyneuritis in, 1938: May, 631

- Infectious diseases, acute, skin manifestations, 1938: Sept., 1355  
common, differential diagnosis, 1940: Sept., 1523
- Influenza, bradycardia in, 1939: Jan., 100  
heart disease and, 1938: Jan., 111; 1939: Sept., 1336  
inflammations in ear, nose and throat in, 1938: Nov., 1659  
prevention and treatment, 1940: Jan., 185
- Infra-red irradiation in arthritis, 1940: Nov., 1686
- Injection treatment of anal fissure and pruritus, 1939: Nov., 1688, 1691  
of hemorrhoids, 1939: Nov., 1686  
of varicose veins, 1940: May, 903
- Insane, relatives of, indigestion in, 1938: July, 1055
- Insanity, manic-depressive, 1940: Sept., 1494, 1499  
mild, indigestion in, 1938: July, 1055
- Insomnia, 1939: March, 553  
in heart disease, 1940: Sept., 1317
- Insulin, crystalline zinc, 1940: May, 652  
globin, 1940: May, 658, 659, 660  
in alcoholism, 1940: May, 671  
in diabetes mellitus, 1939: Nov., 1506, 1522, 1536  
in diabetic acidosis and coma, 1938: July, 984  
modified, importance of carbohydrate distribution in control of diabetes, 1940: May, 649  
protamine zinc, 1938: May, 711-735; 1939: July, 1099; 1940: May, 652  
reaction, 1938: July, 989, 992; 1939: July, 1105  
regular, 1940: May, 651  
requirements, emergency, 1939: July, 1106  
shock treatment of psychoses, 1938: Nov., 1749; 1939: May, 797  
unmodified, directions for using, 1939: July, 1101
- Intention tremor, 1938: May, 564
- Intervertebral disk lesions, 1940: July, 1201, Nov., 1762
- Interviewing patient, 1939: Sept., 1409
- Intestinal auto-intoxication, colonic irrigations in, 1939: May, 781  
obstruction in children, 1939: Jan., 147  
toxemia, pruritus in, 1939: Nov., 1639  
tuberculosis, 1940: Jan., 233
- Intestine as focus in arthritis, 1940: Nov., 1681  
small, lesions of, 1939: March, 499  
roentgen study, 1938: July, 1059
- Intracranial lesions, headaches caused by, 1940: March, 301, July, 1160  
pain, mechanism of, 1940: March, 301
- Intradermal test in allergy, 1938: March, 276, 277, 363; 1939: Sept., 1246
- Intrasellar tumors, 1940: July, 989
- Intussusception, 1938: Jan., 156; 1939: Jan., 145  
constipation in, 1939: Nov., 1671
- Iodides in hypertension, 1939: July, 1027
- Iodine in hyperthyroidism, 1938: March, 489  
preoperative, in adenomatous goiter with hyperthyroidism, 1940: July, 996  
in exophthalmic goiter, 1940: July, 1002
- Ionization treatment of allergic rhinitis, 1938: March, 285
- Iontophoresis in arthritis, 1940: Nov., 1691
- Iritis, allergic, 1938: March, 291
- Irradiated milk, 1939: May, 692  
sterols, 1939: May, 690
- Irradiation of autotransfused blood, 1940: May, 723
- Irrigations, colonic, in intestinal auto-intoxication, 1939: May, 781
- Irritable colon, 1938: Jan., 140, March, 430, 434; 1939: March, 514; 1940: Jan., 193, 200, March, 548
- Islets of Langerhans, tumors of, hyperinsulinism due to, 1939: Nov., 1481, 1491
- JAUNDICE, acholuric, familial, 1940: Sept., 1452  
advantages in certain conditions, notably rheumatism, 1940: July, 1209  
artificial, in arthritis, 1940: Nov., 1731  
as early finding in coronary occlusion, 1940: Jan., 263  
extrahepatic, obstructive, 1939: Jan., 18  
hemolytic, 1939: Jan., 18, 19  
hepatic, 1939: Jan., 17, 18, 19  
in cardiovascular disease, 1940: March, 387  
in gallbladder disease, tests for, 1939: Jan., 17  
obstructive, hemorrhagic diathesis in, 1938: July, 973

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1893

- Jaundice, tests for, 1939: Jan., 20  
toxic and infectious, 1938: Nov., 1761; 1939: Jan., 18  
treatment, 1938: Nov., 1776; 1939: Jan., 83  
xanthomatosis secondary to, 1939: May, 754
- Jejunum, carcinoma, roentgen study, 1938: July, 1064, 1065  
sarcoma, roentgen study, 1938: July, 1066, 1067
- Joint tissue, physiology, 1940: Nov., 1621
- Joints, Charcot, 1938: Sept., 1280  
Clutton's, 1939: Nov., 1592  
syphilitic disease, 1938: Sept., 1275  
juvenile paresis, 1938: Jan., 240  
juxta-articular nodes, 1938: Sept., 1267
- KARYOKINETIC index, 1940: Jan., 276
- Keratitis, allergic, 1938: March, 290  
interstitial, fever therapy, 1940: Sept., 1564  
phlyctenular, 1939: May, 649
- Keratoconjunctivitis, phlyctenular, 1938: March, 290
- Keratoconus, allergic factor, 1938: March, 293
- Keratosis, senile, multiple, 1940: Jan., 144
- Ketone acidosis in nondiabetic adults, 1940: Nov., 1813  
bodies, 1938: July, 980
- Ketosis, diabetic, 1939: Nov., 1552
- Kettering hypertherm in gonococcal salpingitis, 1939: March, 348  
in syphilis, 1939: July, 1112
- Kidney, calculi, diet in, 1939: Jan., 119  
in gallbladder disease, 1938: Nov., 1687  
in gout, 1940: March, 438  
diseases, emergencies in, 1938: July, 949; 1939: Nov., 1707  
diet in, 1939: Jan., 107, 119, March, 449  
headache in, 1940: March, 363  
in aged, 1940: Jan., 161, 162  
pruritus in, 1939: Nov., 1639  
functional tests, 1939: Jan., 158; 1940: Sept., 1470  
pelvis, carcinoma of, 1940: March, 415  
tumors, excretory urography in, 1940: March, 411  
roentgen diagnosis, 1940: March, 411
- Knee jerk, 1938: May, 560
- Knee-rocking test, 1940: July, 1191
- Knott technic of hemo-irradiation, 1940: May, 726
- Koagamin in hemophilia, 1940: May, 802, 803
- Koplik's spots, 1938: Sept., 1368; 1940: Sept., 1531
- Kraurosis vulvae, 1938: May, 770, 771; 1940: Jan., 145  
pruritus in, 1939: March, 313
- Kromayer lamp, 1938: Sept., 1313
- LABOR and its complications, management in home, 1938: Jan., 197  
in twin pregnancy, 1939: March, 437, 442  
normal and operative, equipment needed, 1938: Jan., 211  
uterine inertia in, 1939: July, 1049
- Laboratory findings, importance in diagnosis, 1940: Sept., 1403
- Lacerations of cervix, 1939: March, 380
- Laënnec's râles, 1938: Jan., 46
- Laguere's sign, 1940: Nov., 1759
- Landry's paralysis, 1938: July, 1123; 1939: May, 821
- Language, disordered function in, 1938: May, 607
- Laryngitis, 1940: Sept., 1528  
streptococcal, 1940: Sept., 1529  
tuberculous, 1938: Nov., 1621, 1652
- Laryngotracheobronchitis, acute, in children, 1938: Nov., 1581
- Larynx, early attention to, in tuberculous, 1938: Nov., 1621  
xanthomatosis of, 1939: May, 752
- Lasègue's sign, 1940: July, 1191, Nov., 1756
- Laurence-Moon-Biedl syndrome, 1938: Jan., 171; 1939: Nov., 1457; 1940: July, 964
- Laxatives, 1939: Nov., 1680  
and constipation, 1939: Nov., 1668
- Lead neuritis, cord in, 1938: July, 1124  
poisoning, 1940: Jan., 247
- Lead IV, clinical significance, 1938: July, 1147; 1940: May, 896
- Lecithin, 1939: May, 735
- Lederer's anemia, 1938: July, 913
- Lens, allergic manifestations in, 1938: March, 292  
changes in, in aged, 1940: Jan., 130
- Lenticular papular syphilid, 1938: Sept., 1252
- Leprosy of face, 1939: Jan., 258
- Leptothrix vaginitis, 1938: May, 770
- Leukemia, acute, 1940: Sept., 1453  
emergencies in, 1938: July, 924  
anemia of, 1940: March, 453  
chronic lymphatic, 1940: Sept., 1451  
myelogenous, 1940: Sept., 1451
- Leukoderma syphiliticum, 1938: Sept. 1249

## 1894 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Leukopenia following sulfanilamide, 1939: Sept., 1144, 1181
- Leukopenic index in allergy, 1939: Sept., 1251
- Leukoplakia of cervix, 1939: March, 385
- Leukoplakic vulvitis, 1938: May, 771; 1939: March, 313  
in aged, 1940: Jan., 68
- Leukorrhea, 1938: May, 761; 1939: Jan., 189, March, 313, 333; 1940: May, 911
- Lice in hair, 1939: Nov., 1650
- Lichen nitidus, 1938: Sept., 1337
- scrofulosus, 1938: Sept., 1336, 1338; 1939: May, 649
- Ligamentum flavum, injuries, 1940: Nov., 1762
- Lipase test of pancreatic function, 1940: Jan., 222, July, 1137
- Lipids, physiology, 1939: May, 734
- Lipiodol injections in bronchiectasis, 1939: Sept., 1349  
test in spinal cord tumor, 1938: Sept., 1522
- Lipodystrophy due to insulin, 1938: May, 722
- Lipoid metabolism, diseases of, cutaneous manifestations, 1940: July, 1249  
proteinose (Urbach), 1940: July, 1262
- Lipoidosis, 1939: May, 733
- Lipoma, 1940: July, 1254
- Lips, edema of, allergic, 1938: March, 310
- Lithiasis. See *Calculi*.
- Liver, amebic infection, 1938: Jan., 27; 1939: Sept., 1276 1940: Jan., 210  
cirrhosis, cardiovascular disturbances and, 1939: Sept., 1328  
damage, in exophthalmic goiter, 1940: July, 1008  
death, 1938: July, 969  
diseases, chronic hypoglycemia in, 1939: Nov., 1492  
common emergencies in, 1938: July, 967  
pruritus in, 1939: Nov., 1638  
serum enzymes in, 1940: July, 1148  
extract, in chronic ulcerative colitis, 1940: May, 698  
in pathogenesis of arthritis, 1940: July, 1223  
functional tests, 1939: Jan., 20  
injury, with jaundice, advantages in certain conditions, 1940: July, 1209  
insufficiency, acute, 1938: July, 967
- Liver insufficiency, chronic ulcerative colitis with, 1938: July, 1089  
palpation of, 1940: Jan., 217  
xanthomatosis, 1939: May, 752
- Lobar pneumonia. See *Pneumonia*.
- Locomotor ataxia, 1939: May, 823, 834  
disorders, 1938: Sept., 1513
- Lorain-Levi infantilism, 1940: July, 963
- Lotio alba, 1938: Sept., 1383
- Lues articularis praecox, 1938: Sept., 1284
- Lumbar puncture, 1938: May, 566  
headache, 1940: March, 307  
in coma, 1938: May, 625
- Lumbosacral arthritis, 1940: July, 1191  
cord lesions, flaccid paraplegias in, 1939: May, 821, 834  
strain, 1940: Nov., 1762
- Lungs, abscess, diagnosis of, 1940: March, 462  
spontaneous, 1940: Sept., 1436  
carcinoma, primary, 1938: Jan., 123  
complications, postoperative, 100 per cent oxygen in, 1939: July, 992  
diseases, chest pain in, 1939: Sept., 1312  
in aged, 1940: Jan., 33  
secondary to amebiasis, 1938: Jan., 27  
edema, oxygen therapy, 1940: May, 624  
treatment, 1939: July, 959, 995  
emphysema, in aged, 1940: Jan., 33  
in asthma, 1939: Nov., 1617  
infarction, 1940: Sept., 1438, 1439  
mycosis, diagnosis of, 1940: March, 463  
puncture, for pneumococci specimens, 1939: Jan., 171  
tuberculosis. See *Tuberculosis, pulmonary*.  
tumors, diagnosis of, 1940: March, 464  
xanthomatosis, 1939: May, 752
- Lupus erythematosus, 1938: Sept., 1337  
heart disease and, 1939: Sept., 1335  
of face and scalp, 1939: Jan., 253  
vulgaris, 1938: Sept., 1336, 1340; 1939: Jan., 248, 250
- Luteinizing hormone, 1940: July, 959
- Lymph glands, enlarged, in tuberculosis in children, 1939: May, 652
- Lymphadenitis, mesenteric, acute, 1939: Jan., 151
- Lymphogranuloma inguinale, 1938: May, 765; 1939: Jan., 227



# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1895

- Lymphogranuloma, pruritus in, 1939: Nov., 1638  
venereum, 1940: May, 686  
virus of, colitis with, 1939: March, 519, 520
- MACULAR degeneration, central, senile, 1940: Jan., 136  
MacWilliam's reflex, 1940: July, 1103  
Mal perforant du pied, 1938: Sept., 1268  
Malarial therapy in neurosyphilis, 1938: Sept., 1291, 1305; 1939: July, 1110; 1940: Sept., 1555  
Malignancy, anemia of, 1940: March, 455  
Malignant growths of spine, 1938: Sept., 1531, 1534  
Malingering in traumatic neuroses, 1938: May, 656  
Malnutrition, 1939: Nov., 1465  
Malta fever, 1938: Jan., 247  
Mammotropic hormone, 1940: July, 959  
    in urinary infections, 1938: March, 450, July, 1177, Nov., 1702; 1939: March, 363, May, 674; 1940: Sept., 1475  
Manic-depressive insanity, 1940: Sept., 1494, 1499, 1501  
Manipulation in periarthritides of shoulder, 1940: March, 528  
Manometric test, 1938: Sept., 1522  
Mantoux tuberculin test, 1939: May, 658  
Marey's law, 1939: Jan., 104  
Massage in arthritis, 1940: Nov., 1689  
    in flaccid paralyses, 1939: May, 830  
    in skin diseases, 1938: Sept., 1321  
    use in pediatrics, 1939: May, 708  
Master's step test of cardiac function, 1938: May, 774  
Mastitis, adolescent, 1939: July, 1073  
    chronic cystic, estrogen therapy, 1940: July, 1073  
Mastoiditis, pneumococcal, 1939: Sept., 1218  
Maxillary sinus disease, 1938: Nov., 1592  
Measles, 1938: Sept., 1367  
    convalescent serum, in prophylaxis, 1939: May, 614  
    in treatment, 1939: May, 619, 621  
    source and preparation, 1939: May, 613  
    differential diagnosis, 1938: Sept., 1372; 1940: Sept., 1530  
    German, 1938: Sept., 1373  
Mechanical measures in pediatrics, 1939: May, 707  
Mechoyl as therapeutic agent, 1940: May, 819  
    in cardiac arrhythmias, 1940: May, 585  
Meckel's diverticulum, 1938: Jan., 159, July, 1064; 1939: Jan., 151  
Medical emergencies, symposium on, 1938: July, 879  
Mediterranean remittent fever, 1938: Jan., 247  
Megacolon, congenital, constipation in, 1939: Nov., 1672  
Melancholia, involutional, 1940: Sept., 1494  
Melanoma in aged, 1940: Jan., 142  
Melena, massive, 1938: July, 889  
Ménière's disease, 1938: March, 282, May, 695; 1939: Sept., 1398; 1940: March, 533, 537, May, 830  
Meningeal disease, headache in, 1940: March, 303  
    neurosyphilis, 1938: Sept., 1287, 1290  
    tumors, headache in, 1940: March, 304  
Meningioma, 1940: Sept., 1478  
Meningitic coma, 1938: May, 619  
deafness, 1938: Nov., 1627  
Meningitis, gonococcal, 1938: May, 845  
    sulfanilamide in, 1939: Sept., 1184  
    pneumococcal, 1939: Sept., 1216  
    sulfathiazole and sulfapyridine in, 1940: Nov., 1789  
    syphilitic, acute, headache in, 1940: March, 353  
    tuberculous, in children, 1939: May, 654  
    various types, sulfanilamide in, 1938: Sept., 1419  
Meningococcal infections, fever therapy, 1940: Sept., 1565  
    sulfanilamide in, 1938: Sept., 1422; 1939: July, 934, Sept., 1159  
Meningo-encephalitic lues, 1938: Sept., 1291  
Meningomyelitis, 1938: July, 1122  
Meningovascular neurosyphilis, 1938: Sept., 1288, 1290; 1940: Jan., 86  
Menopause, 1940: Jan., 86  
    arthritis of, 1940: Nov., 1697  
    bleeding in, 1939: March, 295, 303  
    cardiovascular manifestations, 1940: May, 919  
    diethylstilbestrol in, 1940: July, 1073  
    electrocardiographic findings, 1940: May, 921  
    hormone therapy, 1938: Nov., 1827  
    symptoms in, treatment, 1938: March, 524



## 1896 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Menopause, vaginitis following, 1939: March, 342
- Menorrhagia, 1938: March, 518; 1939: March, 273; 1940: July, 1069
- Menstrual problems of growing girl, 1939: Jan., 209
- Mental diseases, symposium on, 1938: May, 553  
disturbances with chronic epidemic encephalitis, 1939: Jan., 219  
status, testing, 1938: May, 563
- Mercurial diuretics in congestive heart failure, 1938: July, 1142
- Mercury chloride, heart disorder from, 1939: Sept., 1331  
poisoning, 1940: Jan., 256
- Mesenteric lymphadenitis, acute, 1939: Jan., 151  
vascular occlusion, 1938: July, 942
- Metabolism, basal, abnormal, in adolescents, 1938: May, 812  
low, without myxedema, 1939: Jan., 180  
diseases of, symposium on, 1939: Nov., 1437  
normal, standards of, 1939: Jan., 177  
total, regulation of, 1939: Jan., 176
- Metal poisoning, dyspepsia due to, 1938: March, 415
- Methyl purines in hypertension, 1939: July, 1027
- Metrazol in schizophrenia, 1938: Nov., 1756
- Metrorrhagia, treatment, 1940: July, 1069 ff.
- Meulengracht treatment of bleeding peptic ulcer, 1938: Sept., 1397
- Microdosage of bacterial products in arthritis, 1940: Nov., 1685
- Microsporon lanosum infection, 1939: Sept., 1283, 1285
- Middle ear inflammation. See *Otitis media*.
- Migraine, 1938: May, 689, July, 1057; 1939: Sept., 1393; 1940: March, 285, July, 1166, 1171  
abdominal, 1938: Jan., 140  
allergy as factor, 1938: March, 325
- Miliary tuberculosis, 1938: Sept., 1336  
in children, 1939: May, 654
- Milk and milk products, neutralizing capacity, 1939: Jan., 262, 265
- Milks, vitamin D., 1939: May, 692
- Mill's cramps, 1938: July, 1011
- Miner's cramps, 1938: July, 1011
- Mitral stenosis, operative risk in, 1938: Sept., 1509
- Moccasin venom in atypical uterine bleeding, 1940: July, 1080
- Monilia infection of feet, 1939: Sept., 1286
- Monilia vaginitis, 1938: May, 770; 1939: Jan., 191, 192, 197
- Morbili, 1938: Sept., 1367
- Morphine, effect on diuresis, 1940: May, 872  
in diagnosis of acute abdomen, 1939: Jan., 150  
in congestive heart failure, 1939: March, 465
- Mother-child relationships, 1939: May, 716
- Motor system, examination, 1938: May, 559
- Mouth-breathing, relation to sinus infection, 1939: May, 681
- Mucous colitis, 1938: Jan., 139, July, 1051; 1939: July, 887  
back pain in, 1938: May, 758  
colonic irrigations in, 1939: May, 787
- Mucous nasal polyps, 1938: Nov., 1633  
patch, 1938: Sept., 1255, 1256
- Mulberry molar, 1939: Nov., 1590
- sclerosis, 1938: Sept., 1519, 1533; 1940: Sept., 1565
- Mumps, convalescent serum in, 1939: May, 613, 630  
differential diagnosis, 1940: Sept., 1538
- Murmurs, heart, 1939: Sept., 1302, 1303
- Muscle, diseases of, treatment, recent advances, 1940: May, 769  
strains, short wave diathermy in, 1939: Jan., 129
- Muscular atrophy in spastic paraplegias, 1938: Sept., 1518  
dystrophy, 1939: May, 826, Sept., 1340, Nov., 1729; 1940: May, 772  
tonus in spastic paraplegias, 1938: Sept., 1516, 1517
- Myasthenia gravis, 1939: Nov., 1724; 1940: May, 770  
with postural maladaptation, 1940: July, 1111
- Myatonia congenita, 1939: Nov., 1729
- Mycosis fungoides, 1939: Sept., 1288
- pulmonary, 1940: March, 463
- Mycotic aneurysm, 1939: Sept., 1341; 1940: Sept., 1382
- eczema, 1938: May, 797, 802  
vaginitis, 1939: March, 314, 341
- Myelitis, 1938: Sept., 1526, 1534
- Myelomatosis, 1940: March, 369, 372
- anemia of, 1940: March, 453
- Myelosis, chronic nonleukemic, 1940: May, 841
- Myocardial abscess, 1939: Sept., 1337  
disease, chest lead in, 1938: July, 1147, 1150; 1940: May, 896

- Myocardial infarction, cardiac rupture from, 1940: Sept., 1373
- Myocarditis, Fiedler's, 1939: Sept., 1338
- syphilitic, 1939: Sept., 1337
- Myocardium, congenital idiopathic hypertrophy, 1939: Sept., 1330
- idiopathic postpartum failure, 1939: Sept., 1334
- Myoma of small intestine, 1939: March, 505
- Myopathies, 1939: Nov., 1724
- Myopia, allergic factor, 1938: March, 293
- Myositis, medical diathermy in, 1939: Jan., 112; 1940: March, 546
- Myotonia congenita, quinine in, 1940: May, 773
- Myxedema, 1938: Nov., 1818; 1939: Jan., 178; 1940: July, 1012
- bradycardia in, 1939: Jan., 100
- heart, 1940: Sept., 1362
- xanthomatosis in, 1939: May, 756
- NARCOLEPSY, benzedrine in, complication, 1938: May, 637
- Narcotics, effect on diuresis, 1940: May, 871
- Nasal allergy, 1938: March, 281; 1939: Jan., 236
- neuralgias, 1940: March, 316
- origin of headache, 1940: March, 311
- Nasal polyps, mucous, 1938: Nov., 1633
- allergy and, 1938: March, 284; Nov., 1633
- treatment in asthma, 1939: Nov., 1613
- septum, deflected, 1939: Nov., 1613
- test in allergy, 1938: March, 278; 1939: Sept., 1248
- Nasociliary neuralgia, 1940: March, 317
- Nausea in cardiovascular disease, 1940: March, 384; Sept., 1318
- Navel colic, recurring, 1939: Jan., 152
- Nearsightedness, headache in, 1940: March, 336
- Neck, chronic destructive lesions, 1939: Jan., 245
- Necrobiosis lipoidica diabetorum, 1939: Nov., 1528; 1940: July, 1262
- Negatol in vaginitis, 1939: March, 340
- Neosphenamine in urinary infections in children, 1939: May, 678
- Neoprontosil, historical notes, 1939: July, 928, 937
- in chronic ulcerative colitis, 1940: May, 700
- Nephritis, acidosis of, 1938: Jan., 230
- Nephritis, acute, intra-abdominal symptoms, 1939: Jan., 139
- chronic, anemia of, 1940: March, 454
- diet in, 1939: Jan., 107, 111, 114; March, 449, 459, 461
- emergencies in, 1938: July, 953
- glomerular, 1939: Nov., 1707
- hemorrhagic, headache in, 1940: March, 365
- medical diathermy in, 1940: March, 548
- in gout, 1940: March, 438
- Nephrosclerosis, 1939: Nov., 1719
- Nephrosis, diet in, 1939: Jan., 115; March, 449, 460
- emergencies in, 1938: July, 955
- lipoid, 1938: July, 956; 1939: May, 756
- low basal metabolism in, 1939: Jan., 185
- Nerve block for intractable pain, 1940: May, 617
- impulses, chemical transmission, 1940: July, 1103
- Nerves, peripheral, injury or section of, paralysis due to, 1938: March, 505
- Nervous diseases, symposium on, 1938: May, 553
- system, autonomic, relation of endocrines to, 1938: Nov., 1815
- central, acute infections of, sulfanilamide in, 1938: Sept., 1419
- diseases of, dyspepsia in, 1938: March, 414
- electrical injuries, 1938: May, 663
- paroxysmal disorders, 1939: Sept., 1393
- diseases of, chest pain from, 1939: Sept., 1315
- differential diagnosis and treatment, 1940: Sept., 1477
- fever therapy in, 1940: Sept., 1555
- Neufeld reaction for typing pneumococci, 1939: Jan., 167
- Neuralgia, medical diathermy in, 1940: March, 547
- nasal, 1940: March, 316
- Neurasthenia, 1939: Nov., 1733; 1940: Sept., 1494
- Neuritis, alcoholic, 1938: Nov., 1793, 1795, 1801
- diabetic, 1938: July, 1191
- fever therapy in, 1940: Sept., 1564
- medical diathermy in, 1940: March, 547
- multiple. See *Polyn neuritis*.
- optic, allergic factor, 1938: March, 293

# 1898 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Neuritis, optic, intra-ocular, 1939: Nov., 1695  
retrobulbar, 1939: Nov., 1700  
treatment, newer conceptions, 1938: Nov., 1781
- Neurocirculatory asthenia, 1938: May, 780; 1939: Nov., 1733  
precordial pain in, 1938: March, 474; 1939: Sept., 1311
- Neurorecurrence in syphilis, headache in, 1940: March, 353
- Neurologic examination in general practice, 1938: May, 553
- Neuroses, asthenia of, 1939: Nov., 1732  
character, 1940: Sept., 1495, 1508  
compulsion, 1940: Sept., 1495, 1506  
diagnostic errors, 1940: Sept., 1513  
examination of patient, 1940: Sept., 1519  
functional indigestion in, 1938: July, 1045  
gastric, 1938: Jan., 140  
organic, 1940: Sept., 1491  
psychoses and, differential diagnosis, 1940: Sept., 1489  
traumatic, 1938: May, 647
- Neurosyphilid of Unna, 1938: Sept., 1253
- Neurosyphilis, 1938: Jan., 233, Sept., 1287  
asymptomatic, 1940: March, 352  
coma due to, 1938: May, 620  
fever therapy, 1938: Sept., 1291, 1305; 1940: Sept., 1557, 1560, 1561, 1562  
nonspecific therapy, 1939: July, 1109  
parenchymatous, 1938: July, 1121, Sept., 1288
- Neurotic syndromes, 1940: Sept., 1491
- Neutropenia following sulfanilamide, 1939: Sept., 1144  
in arthritis, treatment, 1940: Nov., 1642
- Nevi, electrolysis for, 1938: Sept., 1315
- Nevoxantho-endothelioma, 1940: July, 1256
- Nevus, pigmented, in aged, 1940: Jan., 141
- Newborn, anemia of, 1939: May, 581  
feeding of, 1938: May, 819; 1939: May, 569  
hemorrhagic disease of, 1940: Sept., 1457
- Salmonella infection of, 1939: May, 591, 599
- Nicotinic acid and thiamin chloride in Ménière's syndrome, 1940: March, 533, 537  
as hypnotic and sedative, 1940: May, 605
- Nicotinic acid, deficiency, 1940: May, 735  
in arthritis, 1940: Nov., 1667  
therapeutic uses, 1940: May, 733, 741
- Niemann-Pick's disease, 1939: May, 737; 1940: July, 1255
- Nitrates and nitrites in hypertension, 1939: July, 1027
- Nose, anatomy and physiology, 1938: July, 1099, 1100  
diseases, symposium on, 1938: Nov., 1565  
inflammation in, in systemic diseases, 1938: Nov., 1645  
tumors in, headache due to, 1940: March, 315
- Novasurol in congestive heart failure, 1938: July, 1142
- Novocain in low back pain, 1940: Nov., 1756, 1765
- Nucleus pulposus, herniation of, 1938: March, 532
- Nutrition, 1939: Nov., 1465, 1466  
disorders of, heart disease in, 1939: Sept., 1327  
in infancy, 1938: May, 829  
factors, as hypnotics and sedatives, 1940: May, 603  
conditioning, 1939: Nov., 1468
- Nystagmus, 1938: May, 564
- OATMEAL bath in eczema, 1938: May, 803
- Ober's disease, 1940: July, 1199  
test, 1940: July, 1199, Nov., 1756
- Obesity, 1939: Nov., 1449  
adrenal, 1938: Jan., 172  
and diabetes, 1939: July, 1086, Nov., 1499  
endocrine, 1938: May, 810  
gonadal, 1938: Jan., 171, 178; 1939: Nov., 1453  
heart in, 1939: Sept., 1328  
hypothyroidism and, 1938: Jan., 163, 176  
in children, 1938: Jan., 161  
in gout, 1940: March, 432  
pancreatogenic, 1938: Jan., 172  
pituitary, 1938: Jan., 165, 177; 1939: Nov., 1456  
thyroid, 1939: Nov., 1453  
thyropituitary, 1938: Jan., 170
- Obstetrical complications, management in home, 1938: Jan., 197
- Obstetrics, symposium on, 1939: March, 273
- Occipito-atlantoid torticollis, 1938: July, 1120
- Oculomotor nerve, examination, 1938: May, 557

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1899

- Occupation, food requirements and, 1939: Nov., 1470
- O'Hare's nephritis diet list, 1939: Nov., 1713
- Oidium albicans infection of vagina, 1939: March, 314
- Old people. See *Aged*.
- Olecranon bursitis, short wave diathermy in, 1939: Jan., 131
- Olfactory nerve, examination, 1938: May, 556
- Opacities, lenticular, in aged, 1940: Jan., 130
- Ophthalmia, gonorrheal, 1939: May, 665
  - gonorrheal, sulfanilamide in, 1939: Sept., 1184
  - neonatorum, prevention, antenatal vaginal antisepsis in, 1940: Nov., 1857
- Ophthalmic tests in allergy, 1938: March, 278
- Ophthalmology, short wave diathermy in, 1939: Jan., 128, 135
- Oppenheim's disease, 1939: Nov., 1729
- reflex, 1938: May, 561
- Optic nerve, 1938: May, 557; 1939: Nov., 1696
  - neuritis, allergic factor, 1938: March, 293
  - intra-ocular, 1939: Nov., 1695
- Official tuberculosis, 1938: Sept., 1338
- Orthopedic measures in flaccid and spastic paralyses, 1939: May, 836
- Orthopnea in heart disease, 1939: Sept., 1293; 1940: Sept., 1312
- Osteitis of spine, hypertrophic, 1938: July, 1118
- Osteoarthritis in syphilis, 1938: Sept., 1285
- Osteoporosis, senile, 1940: July, 1200
- Osteosclerotic anemia, 1940: May, 841
- Otitis media in systemic diseases, management, 1938: Nov., 1645
  - pneumococcic, 1939: Sept., 1218
  - recurrent, as indication for tonsillectomy, 1938: Nov., 1607
  - streptococcic, sulfanilamide in, 1939: Sept., 1218
- Otolaryngology, allergy as factor in, 1938: March, 281
- Otosclerosis, 1938: Nov., 1629
- Ovary, deficiency states, 1938: March, 509
  - diseases, in aged, 1940: Jan., 86
  - dysfunction, 1940: July, 1069
  - examination, 1940: Jan., 176
  - hormones, in hypertension, 1939: July, 1028
  - hypofunction, circulation and, 1940: May, 919
- Overfeeding of infants, 1939: May, 569
- Ovulation, beginning, in adolescence, pain in, 1939: Jan., 153
- Oxalic acid poisoning, 1940: Jan., 246
- Oxygen therapy, 1938: Jan., 88; 1939: July, 977, 982; 1940: May, 621
  - consumption test of cardiac function, 1938: May, 775
  - in asphyxia neonatorum, 1939: July, 1067
  - in congestive heart failure, 1939: March, 468
  - in migraine, 1940: July, 1174
  - in peripheral circulatory failure, 1939: March, 473
  - in pneumonia, 1938: Jan., 75, 85; 1939: July, 957
  - 100 per cent, indications for use, 1939: July, 983
- Oxygen-helium therapy, 1939: July, 997; 1940: May, 621
  - in bronchial asthma, 1940: May, 625
- PACHYMENINGITIS, hypertrophic, 1938: July, 1118
- Pain, abdominal, 1938: July, 884, 890, 1031; 1939: July, 895
  - in cardiovascular disease, 1940: March, 389
  - anginal, with inhalation of tobacco smoke, 1939: July, 1037
  - back, in gastro-intestinal disease, 1938: May, 749
  - low, diagnosis and treatment, 1940: Nov., 1747
- chest, 1938: March, 473; 1939: Sept., 1307
  - in heart disease, 1940: Sept., 1300
- head. See *Headache*.
- in gallbladder disease, 1939: Jan., 12
- in heart disease, 1938: July, 1132; 1939: Sept., 1295
- in incurable cancer, control of, 1940: May, 595
- in renal tumor, 1940: March, 412
- intracranial, mechanism of, 1940: March, 301
- intractable, nerve block in, 1940: May, 617
- neuritic, in myelomatosis, 1940: March, 370
- of angina pectoris, 1940: Sept., 1302
- of coronary thrombosis, 1940: Sept., 1306
- precordial, 1938: March, 473
- sciatic, 1938: March, 527
- significance of, 1940: Sept., 1405
- Palmar syphilid, 1938: Sept., 1254, 1265, 1267

# 1900 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Palpitation as symptom, 1939: Sept., 1293; 1940: Sept., 1297
- Pancreas, cysts, 1940: Jan., 224, 228, May, 855, 865
- diseases, 1939: Nov., 1490, 1495; 1940: Jan., 219, July, 1137
- functional tests, 1940: Jan., 221, July, 1137
- lesions, and diabetes, 1939: July, 1085
- pseudocyst, 1940: May, 859
- Pancreatitis, 1938: July, 1040; 1940: Jan., 219, July, 1140
- Papilledema, allergic factor, 1938: March, 292
- Papillitis, 1939: Nov., 1698
- Papules, moist, 1938: Sept., 1255
- Paracentesis, abdominal, collapse following, 1938: July, 976
- Paraffin baths in arthritis, 1940: Nov., 1688
- Paralysis agitans, quinine in, 1940: May, 773
- apiol, 1938: July, 1124
- diver's, 1938: July, 1127
- familial periodic, 1939: Sept., 1330; 1940: May, 774
- flaccid, 1938: March, 501; 1939: May, 811
- hysterical, 1938: May, 591; 1939: May, 825, 834
- infantile. See *Poliomyelitis*.
- jake leg, 1938: July, 1124
- Jamaica ginger, 1938: July, 1124
- Landry's, 1938: July, 1123; 1939: May, 821
- lead, 1938: July, 1124
- spastic, 1938: Sept., 1514
- test for, in cerebral vascular lesions, 1938: May, 578
- tick, 1938: July, 1123
- triorthocresyl phosphate, 1938: July, 1124
- Paranasal sinuses. See *Sinuses*.
- Paranoia, 1940: Sept., 1494
- in narcolepsy, 1938: May, 637
- Paraplegias, flaccid, 1939: May, 811
- spastic, 1938: Sept., 1513, 1514
- Parathyroid insufficiency, 1938: Nov., 1823; 1940: July, 1019, 1022
- overfunction, 1940: July, 1027
- tetany, 1938: July, 1003; 1940: March, 443, 446, May, 833, July, 1022, 1024
- Parent-child relationships, 1939: May, 715, Sept., 1387
- Paresis, general, 1938: Jan., 233, Sept., 1288, 1291
- fever therapy in, 1938: Jan., 244; 1939: July, 1109, 1111; 1940: Sept., 1556
- Paresis, juvenile, 1938: Jan., 240; 1940: Sept., 1563
- Parkinsonism, 1940: Sept., 1485
- Paroxysmal disorders of central nervous system, 1939: Sept., 1393
- Passive transfer test in allergy, 1938: March, 278
- Patch test in allergy, 1938: March, 278; 1939: Sept., 1249
- in contact dermatitis, 1938: March, 392
- in tuberculosis, 1939: May, 659
- Patency of reproductive tract, Rubin's test, 1940: Jan., 180
- Pavex in peripheral vascular disease, 1938: March, 469
- Pediatrics, symposium on, 1939: May, 569
- Pediculosis capitis, 1939: Nov., 1650
- Pellagra, intestinal changes in, 1938: July, 1072
- syndrome in cardionephritis, 1939: May, 777
- Pelvic conditions, differential diagnosis, pain in, 1938: July, 1038, 1043
- examination in gynecology, technic, 1940: Jan., 166
- heating, in menstrual disorders, 1940: July, 1079
- infections in women, 1939: July, 1041
- arthritis and, 1940: Nov., 1680
- inflammatory disease, gonococcal, 1939: March, 345
- medical diathermy in, 1939: Jan., 136; 1940: March, 549
- tumors, ascites in, 1938: July, 1171
- Pemphigus, 1938: Sept., 1345
- Penis, condyloma acuminata of, carcinoma-like, 1939: May, 789
- Peptic ulcer, 1939: July, 913
- alkali therapy, alkalosis from, 1938: Jan., 223
- crisis type, 1940: July, 1127
- differential diagnosis, pain in, 1938: July, 1039
- gastro-intestinal allergy and, 1938: March, 309
- hemorrhage in, 1938: July, 889, Sept., 1397, Nov., 1711; 1939: July, 861; 1940: Sept., 1548
- in aged, 1940: Jan., 13
- of esophagus, 1940: March, 563
- serum enzymes in, 1940: July, 1146
- with cardiovascular complications, differential diagnosis, 1940: Sept., 1411
- Percomorph liver oil, 1939: May, 690
- Periarthritis nodosa, 1939: Sept., 1335

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1901

- Periarthritis of shoulder, 1940: March, 525
- Pericardial effusion, emergency aspects, 1938: July, 897
- tap, death following, 1940: Sept., 1383
- Pericarditis, acute, 1938: Jan., 54, March, 475, July, 898, 900; 1939: Sept., 1311
- chronic constrictive, 1940: Sept., 1357
- suppurative, 1940: Sept., 1359
- tuberculous, 1938: July, 900
- Pericholecystitis, 1939: Jan., 64
- Perineorrhaphy in home, 1938: Jan., 204
- Periostitis, syphilitic, adjacent to joints, 1938: Sept., 1278
- Peripheral vascular disease, 1938: March, 459; 1940: May, 819
- in polycythemia, 1940: March, 485
- Peritonitis, migratory, 1939: Jan., 152
- pneumococcic, 1939: Sept., 1218
- tuberculous, 1938: July, 1171; 1939: May, 653
- Peritonsillar abscess, 1940: Sept., 1525
- Pernicious anemia, 1938: May, 729, July, 922, Sept., 1524, 1534; 1940: March, 452, Sept., 1447, 1449, 1450
- Personality disorder, traumatic, 1938: May, 656
- psychopathic, 1940: Sept., 1495, 1509
- Pertussis, gold tribromide in, 1938: Sept., 1495
- Petit mal attacks, 1939: Sept., 1395
- Pharynx, xanthomatosis of, 1939: May, 752
- Phenolsulfonphthalein test of renal function, 1940: Sept., 1471
- Phlebitis, latent, 1938: March, 466
- Phlegmasia alba dolens, 1938: July, 1209
- Phospholipids, physiology, 1939: May, 735
- Photodyn, neuritis due to, 1938: Nov., 1790
- Photosensitization, dermatitis due to, 1938: March, 383
- Phyone, 1938: Nov., 1824
- Physical agents, contact with, emergencies arising from, 1938: July, 1009
- examination, human and social factors, 1939: Sept., 1413
- therapy, in chronic arthritis, 1940: Nov., 1685
- in dermatology, 1938: Sept., 1311
- in lower back lesions, 1940: Nov., 1764
- Physical therapy in pediatric conditions, 1939: May, 705
- Physostigmin in myasthenia gravis, 1940: May, 770
- Pick's disease, 1940: Jan., 102
- Pick-Concato syndrome, ascites in, 1938: July, 1172
- Pigmentation in Addison's disease, 1940: July, 1043
- Pink disease, 1938: May, 631
- Pirquet tuberculin test, 1939: May, 658
- Pitressin, 1938: Nov., 1823
- Pituitary adenoma, 1938: Jan., 166; 1940: July, 961, 962, 967, 981
- Pituitary basophilism, 1938: Jan., 165, 166, March, 513; 1939: Nov., 1457; 1940: July, 972
- cachexia, 1938: March, 512; 1939: Nov., 1731
- extract, 1938: Nov., 1824
- in postpartum hemorrhage, 1938: Jan., 205
- gland, 1940: July, 953
- diseases of, 1940: July, 953
- asthenia in, 1939: Nov., 1730
- heart disease and, 1939: Sept., 1330
- in aged, 1940: Jan., 88
- headache, 1940: July, 1166
- hypo-ovarianism, 1938: March, 516
- obesity, 1938: Jan., 165, 170; 1939: Nov., 1456
- Pituitary therapy, 1938: Nov., 1823
- in labor, 1939: July, 1054
- in obesity in children, 1938: Jan., 177
- Pituitrin, 1938: Nov., 1823
- Pityriasis rosea, quartz lamp in, 1938: Sept., 1312
- Placenta, disorders, in twin labor, 1939: March, 442
- treatment in home, 1938: Jan., 207, 208
- manual removal, in postpartum hemorrhage, 1938: July, 1201
- Placental extract in hemophilia, 1940: May, 798
- Plantar syphilid, 1938: Sept., 1254, 1267
- Plasma, blood, stored, 1940: May, 719
- Pleura, diseases of, chest pain in, 1939: Sept., 1312
- Pleurisy secondary to amebiasis, 1938: Jan., 28, 29
- tuberculous, 1939: May, 653; 1940: Sept., 1435
- Plumbism, abdominal pain in, 1938: July, 1036
- Plummer-Vinson syndrome, 1940: March, 564



# 1902 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Pneumococci, typing of, office technic, 1939: Jan., 167
- Pneumococcic empyema, 1939: Sept., 1215
- endocarditis, 1939: Sept., 1219
- infections, sulfanilamide in, 1939: July, 934, Sept., 1208
- sulfapyridine in, 1939: Sept., 1209
- mastoiditis, 1939: Sept., 1219
- meningitis, 1939: Sept., 1216
- sulfanilamide in, 1938: Sept., 1422
- otitis media, 1939: Sept., 1218
- peritonitis, 1939: Sept., 1218
- pneumonia and meningitis, sulfathiazole and sulfapyridine in, 1940: Nov., 1789
- Pneumococcus, cultures and typing, 1938: Jan., 22, 48
- Pneumonia, 1938: Jan., 1; 1939: July, 945; 1940: Sept., 1427
- abdominal pain in, 1938: July, 885, 1035
- acute abdomen in, 1939: Jan., 145
- atypical, of adolescent, 1940: Sept., 1433
- carbon dioxide inhalations in, 1938: Jan., 87
- chemotherapy, 1939: July, 955
- chest pain in, 1939: Sept., 1313
- coma in, 1938: May, 620
- diagnosis, 1938: Jan., 45, 50, 55
- early, 1938: Jan., 19, 21; 1939: July, 947
- diathermy in, medical, 1938: Jan., 61; 1940: March, 547
- empyema in, 1938: Jan., 69
- hospitalization, 1939: July, 950
- in aged, 1940: Jan., 40
- in children, differential diagnosis, 1938: Jan., 55
- inflammations of ear, nose and throat in, 1938: Nov., 1646
- jaundice in, 1938: Nov., 1770
- management, recent advances, 1939: July, 945
- nontuberculous, 1940: March, 465
- oxygen therapy, 1938: Jan., 75, 85; 1939: July, 957; 1940: May, 622
- pathogenesis, 1938: Jan., 3
- peripheral circulatory disturbances in, 1940: Sept., 1393
- physical findings, 1938: Jan., 19, 21, 46, 53
- pneumococcus, atypical, 1940: Sept., 1429
- sulfathiazole and sulfapyridine in, 1940: Nov., 1789
- postoperative, 100 per cent oxygen in, 1939: July, 995
- pulmonary edema in, 1939: July, 959, 995
- Pneumonia, serum therapy, 1938: Jan., 23; 1939: May, 635, July, 953, Sept., 1205
- sinusitis in, 1938: Nov., 1647
- sputum study in, 1938: Jan., 22, 48
- stages of, 1938: Jan., 11, 14, 15
- staphylococcic, bronchogenic, primary, 1938: Sept., 1473
- streptococcal, 1940: Sept., 1431
- sulfanilamide in, 1939: Sept., 1208
- sulfapyridine in, 1939: July, 942, 955, Sept., 1209, 1213; 1940: May, 639
- suspected, investigation of, 1939: July, 952
- symposium on, 1938: Jan., 1
- symptoms, 1938: Jan., 19, 21, 46, 52
- typing, 1938: Jan., 22, 48
- unresolved, bronchoscopic aspects, 1938: Jan., 97
- virus, 1940: Sept., 1430
- "walking," 1938: Jan., 46
- whispered bronchophony in, 1938: Jan., 46
- Pneumothorax, spontaneous, chest pain in, 1939: Sept., 1313
- Poisonings, coma in, 1938: May, 619
- diagnosis and treatment, 1940: Jan., 245
- extrinsic, heart disorders due to, 1939: Sept., 1331
- food or chemical, abdominal pain in, 1938: July, 1036
- polyneuritis due to, 1938: May, 634
- Poliomyelitis, 1938: March, 502
- diagnosis, 1939: May, 834
- flaccid paraplegias of, 1939: May, 820, 834
- heart disease and, 1939: Sept., 1337
- physical therapy, 1939: May, 711
- prevention, zinc sulfate intranasal spray in, 1938: Jan., 107
- Pollen allergy and asthma, 1939: Nov., 1608, 1610
- Pollens in hay fever, 1938: March, 359, 364
- Polyarthritides, acute syphilitic, 1938: Sept., 1284
- enterica, 1938: May, 850
- Polycythemia, emergencies in, 1938: July, 923
- peripheral vascular disturbances in, 1940: March, 485
- Polymorphism in drug eruptions, 1938: Sept., 1324
- Polyneuritis, 1938: May, 627; 1939: May, 834
- acute infections, 1938: May, 629, Nov., 1790
- alcoholic, 1938: May, 627, Nov., 1793, 1795, 1801
- diabetic, 1938: May, 632, July, 1191



# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1903

- Polyneuritis, heart disease and, 1939: Sept., 1339  
paralysis of, 1938: March, 505; 1939: May, 819, 834  
vitamin B<sub>1</sub> deficiency, 1940: May, 737
- Polyps, nasal, 1938: March, 284, Nov., 1633; 1939: Nov., 1613  
of colon, roentgen examination, 1938: March, 444
- Porphyria following sulfanilamide, 1939: Sept., 1146
- Porrigo favosa, 1939: Nov., 1652
- Portal cirrhosis, 1940: Jan., 209  
occlusion, 1938: July, 976
- Portio vaginalis, 1940: Jan., 172
- Postabortive streptococcal infections, 1939: Sept., 1231
- Postcholecystectomy syndrome, duodenal drainage in, 1940: March, 473
- Postconcussional states, 1938: May, 652
- Postencephalitic behavior disorders, 1940: July, 1179
- Postoperative anuria, 1938: July, 949  
dilatation of stomach, 1938: Jan., 224  
parathyroid tetany, 1938: July, 1003; 1940: March, 443, May, 833, July, 1022  
psychosis without delirium, 1938: May, 569  
pulmonary complications, 100 per cent oxygen in, 1939: July, 992
- Postpartum hemorrhage, 1938: July, 1197, 1200  
in twin labor, 1939: March, 443  
management in home, 1938: Jan., 201
- myocardial failure, idiopathic, 1939: Sept., 1334
- thrombophlebitis, 1938: July, 1205
- Postural adaptation mechanism, 1940: July, 1097  
circulatory disturbances in infection, 1940: Sept., 1392  
maladaptation, diseases with, 1940: July, 1104  
responses of blood pressure and heart rate, 1940: July, 1095  
strain, 1940: July, 1196
- Potassium chloride in familial periodic paralysis, 1940: May, 774  
thiocyanate in essential hypertension, 1939: March, 496
- Precordial distress, dull, 1940: Sept., 1301  
pain, 1938: March, 473
- Preclampsia, 1938: July, 1220; 1939: March, 406
- Pregnancy, arthritis and, 1940: Nov., 1698  
effect on jaundice, 1940: July, 1222  
exophthalmic goiter in, 1940: July, 1009  
extra-uterine, diagnostic errors, 1938: Jan., 213  
increased metabolism in, 1939: Nov., 1476  
interruption of, in hyperemesis gravidarum, 1939: March, 422  
polyneuritis in, 1938: May, 631  
syphilis and, 1938: Sept., 1305  
toxemias of, 1938: July, 1215; 1939: March, 405; 1940: July, 1151  
twin, 1939: March, 427  
vomiting of, 1939: March, 417
- Pregnant mares' serum in impotence, 1940: July, 1062  
in ovarian dysfunction, 1940: July, 1075
- Prenatal syphilis, 1938: Sept., 1306; 1939: Nov., 1575
- Prepyloric ulcers, roentgen diagnosis, 1940: Sept., 1543
- Presacral nerve resection for dysmenorrhea, 1939: March, 290
- Proctitis, 1939: Jan., 203, May, 666
- Proetz displacement treatment of sinus disease, 1938: July, 1108, Nov., 1571
- Progesterone, 1938: Nov., 1826  
in ovarian dysfunction, 1940: July, 1074
- Progestin deficiency and dysmenorrhea, 1939: March, 279
- Prognosis, human and social factors, 1939: Sept., 1414
- Prognon B in pruritus vulvae, 1939: March, 325
- Prolapsed cord in labor, 1939: July, 1065  
twins, 1939: March, 442
- Prontosil, 1939: July, 928
- Prontylin. See *Sulfanilamide*.
- Prostatectomy for bladder neck obstruction, 1939: Jan., 164, 165
- Prostatic disorders in aged, 1940: Jan., 162  
infection, arthritis and, 1940: Nov., 1678  
medical diathermy in, 1939: Jan., 128, 137; 1940: March, 549  
nonspecific, and its relation to other foci of infection, 1938: July, 1181  
obstruction, benign, hormone therapy, 1940: July, 1066  
in aged, 1940: Jan., 85

1904 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Prostatism due to bladder neck obstruction, 1939: Jan., 155
- Prostigmin test in myasthenia gravis, 1939: Nov., 1726; 1940: May, 770
- Protamine zinc insulin, 1938: May, 711; 1939: July, 1099; 1940: May, 652
- Protein, Bence-Jones, in myelomatosis, 1940: March, 371, 379
- shock therapy in asthma, 1939: Nov., 1623
- in gonococcal salpingitis, 1939: March, 349
- in pruritus, 1939: Nov., 1641
- Proteins in diet in kidney disease, 1939: March, 451
- Proteus agglutination in Rocky Mountain spotted fever, 1939: March, 533, 534
- Pruritus, 1939: Nov., 1635
- anal, office treatment, 1939: Nov., 1689
- in jaundice, 1938: Nov., 1775
- senile, 1939: Nov., 1637; 1940: Jan., 146
- vulvae, 1939: March, 309
- Pseudo-appendicitis, 1939: July, 889
- Pseudo-chancere redux, 1938: Sept., 1246, 1268
- Pseudocholecystitis, 1939: July, 894
- Pseudocyst of pancreas, 1940: May, 859
- Pseudodwarfism from diabetes in childhood, 1939: Nov., 1526
- Pseudohepaticity, 1938: July, 932
- Pseudoneuritis, optic, 1939: Nov., 1698
- Pseudo-ulcer, 1939: July, 892
- Psoriatic arthritis, jaundice and, 1940: July, 1214
- Psychic equivalents, 1939: Sept., 1395
- Psychogenic disorders, asthenia of, 1939: Nov., 1732
- Psychomotor attacks, 1939: Sept., 1395
- Psychoneurosis, 1940: Sept., 1491
- with exhaustion, postural maladaptation in, 1940: July, 1109
- Psychoneurotic headache, 1940: July, 1169
- Psychopathic personality, 1940: Sept., 1495, 1509
- Psychopaths, indigestion in, 1938: July, 1055
- Psychoses, functional, 1940: Sept., 1490, 1494
- fever therapy in, 1940: Sept., 1567
- insulin shock treatment, 1939: May, 797
- neuroses and, differential diagnosis, 1940: Sept., 1489
- organic, 1940: Sept., 1490, 1494
- Psychoses, paranoid, 1940: Sept., 1494
- in narcolepsy, 1938: May, 637
- postoperative, without delirium, 1938: May, 569
- senile, 1940: Jan., 93
- toxic, 1938: March, 537
- fever therapy in, 1940: Sept., 1567
- with cerebral arteriosclerosis, 1940: Jan., 98
- Psychotherapy in hyperemesis gravidarum, 1939: March, 420
- in pruritus, 1939: Nov., 1642
- in schizophrenia, 1938: Nov., 1749
- Psychotic behavior in aged, 1940: Jan., 5
- Puerperal streptococcal infections, 1939: Sept., 1231, 1233, 1236, 1238
- Puerperium in twin labor, 1939: March, 444
- jaundice in, 1938: Nov., 1771
- Pulmonary. See also *Lungs*.
- artery, occlusion of, chest pain in, 1939: Sept., 1312
- embolism, 1938: March, 476, July, 939
- Pulse, counting, historical data, 1939: Jan., 93
- Pulse rate, postural responses, 1940: July, 1095
- slow, 1939: Jan., 93
- Pupils, unequal, in congenital syphilis, 1939: Nov., 1592
- Purpura, hemorrhagic, emergencies in, 1938: July, 929
- Schönlein-Henoch's, 1940: Sept., 1455
- thrombocytopenic, 1940: Sept., 1456
- variola, 1938: Sept., 1359
- vascular, 1940: Sept., 1455
- Pyelitis in aged, 1940: Jan., 162
- in twin pregnancy, 1939: March, 436
- Pyelonephritis, 1939: May, 669, 670, Nov., 1717; 1940: Jan., 162, Sept., 1461, Nov., 1832
- emergencies in, 1938: July, 965
- sulfanilamide in, 1939: Sept., 1224, 1225
- Pyloric stenosis, hypertrophic, in infants, 1938: Jan., 153
- Pylorospasm in infants, 1938: Jan., 154
- Pyogenic infections, medical diathermy in, 1940: March, 551
- Pyonephrosis in aged, 1940: Jan., 162
- Pyorrhea in diabetes, 1939: Nov., 1528
- Pyramidal tract defect, 1938: May, 561
- Pyuria in children, 1939: May, 670
- in old women, 1940: Jan., 64

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1905

- QUARTZ lamp in skin diseases, 1938: Sept., 1312, 1313
- Queckenstedt's manometric test, 1938: Sept., 1522  
sign, 1938: July, 1116
- Quinidine in cardiac arrhythmias, 1940: May, 587, 589, 590, July, 1084, 1087
- Quinine and urea hydrochloride injections in anal lesions, 1939: Nov., 1686, 1688  
in myotonia congenita, 1940: May, 773  
in paralysis agitans, 1940: May, 773
- RADIOHUMERAL bursitis, short wave diathermy in, 1939: Jan., 131
- Radium in menstrual disorders, 1940: July, 1079  
in pruritus vulvae, 1939: March, 324
- Râles, crepitant, in pneumonia, 1938: Jan., 46
- Rashes, differential diagnosis, 1940: Sept., 1529
- Raynaud's disease, 1938: March, 467; 1940: May, 823
- Reading, disabilities in, 1938: May, 607, 611
- Reagin test for allergy, 1939: Sept., 1250
- Rectocele, 1940: Jan., 168
- Rectoscopy, 1939: March, 517
- Rectum, mucous membrane, inflammation of, 1939: Jan., 203
- Reflexes in flaccid paraplegias, 1939: May, 815  
in spastic paraplegias, 1938: Sept., 1517  
tests and significance, 1938: May, 560
- Refractive errors, headache in, 1940: March, 337
- Regurgitation, nervous type, 1938: July, 1057
- Reinsch test for mercury poisoning, 1940: Jan., 256
- Renal. See *Kidney*.
- Resolution in pneumonia, 1938: Jan., 15
- Respiration, artificial, in newborn, 1939: July, 1067  
Schaefer method, 1938: July, 1026
- Respirator, use of, in pediatrics, 1939: May, 708
- Respiratory infections, heart disease and, 1939: Sept., 1336  
tuberculosis and, differentiation, 1939: Sept., 1378  
tract, diseases of, acute, differential diagnosis, 1940: Sept., 1427  
signs, 1940: Sept., 1407
- Resuscitation methods, 1940: May, 619
- Retinal angiosclerosis in vascular disease of aged, 1940: Jan., 131, 135  
changes in toxemias of pregnancy, 1940: July, 1151
- Retinitis, allergic, 1938: March, 293  
diabetic, 1938: July, 1191
- Retrobulbar neuritis, 1939: Nov., 1700
- Retrodisplacements of uterus, 1939: March, 274; 1940: Jan., 169
- Retropharyngeal abscess, 1940: Sept., 1525
- Rheumatic diseases, advantages of hepatic injury and jaundice in, 1940: July, 1209  
fever, blood in, 1940: Nov., 1638  
electrocardiography in, 1940: Sept., 1322  
inflammations in ear, nose and throat in, 1938: Nov., 1656  
jaundice and, 1940: July, 1215  
subjects, prophylactic use of sulfanilamide in, 1940: May, 633
- Rheumatism, syphilitic, 1938: Sept., 1284
- Rheumatoid arthritis in syphilis, 1938: Sept., 1285  
disease, introduction to problem, 1940: Nov., 1591
- Rhinitis, allergic, 1938: March, 281, 359  
in systemic diseases, 1938: Nov., 1645  
perennial, in aged, 1940: Jan., 152  
vasomotor, 1939: Jan., 237, 238
- Riboflavin deficiency, 1940: May, 736  
therapeutic uses, 1940: May, 733, 740
- Rickets, vitamin therapy, 1939: May, 687, 695; 1940: May, 764, 765
- Riedel's struma, 1940: July, 1016
- Ringworm of foot, 1938: Sept., 1392  
of scalp, 1939: Sept., 1283, Nov., 1646, 1651, 1652
- Rocky Mountain spotted fever in eastern United States, 1939: March, 527
- Roentgen diagnosis, acute abdomen, 1939: Jan., 149  
bladder neck obstruction, 1939: Jan., 159  
chronic arthritis, 1940: Nov., 1603  
dyspepsia, 1938: March, 418  
constipation, 1939: Nov., 1676  
dysentery, 1939: March, 519  
gallbladder disease, 1939: Jan., 27  
gout, 1940: March, 437  
heart disease, 1939: July, 1015

# 1906 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Roentgen diagnosis, infantile congenital syphilis, 1939: Nov., 1586  
 low back lesions, 1940: Nov., 1759  
 sinusitis, 1938: July, 1106  
 spinal cord tumor, 1938: July, 1117  
 tuberculosis, 1939: Sept., 1375  
 tumors of kidney, 1940: March, 411  
 examination, colon, 1938: March, 433  
 small intestine, 1938: July, 1059  
 upper gastro-intestinal tract, 1940: Sept., 1541  
 treatment, amenorrhea, 1940: July, 1078  
 carcinoma of cervix, 1940: Jan., 273  
 pruritus vulvae, 1939: March, 321  
 sciatica, 1938: Nov., 1785  
 Roseola in syphilis, 1938: Sept., 1248  
 Rubella, 1938: Sept., 1373  
 Rubin test for sterility, 1940: Jan., 180  
 Rupia, 1938: Sept., 1257  
 Rupture of heart, 1940: Sept., 1373  
 of membranes, artificial, in labor, 1939: July, 1054  
 Russell viper venom, local use in hemorrhage, 1940: May, 777
- SABER tibia, 1939: Nov., 1591  
 Sacral nerve resection for pruritus vulvae, 1939: March, 329  
 Sacro-iliac arthritis, 1940: July, 1192  
 strain, 1940: Nov., 1762  
 Sailors' skin, 1938: Sept., 1314  
 Salmonella infection of newborn, 1939: May, 591  
 Salpingitis, gonococcal, acute, 1939: March, 345  
 short wave diathermy in, 1939: Jan., 136  
 Salyrgan in congestive heart failure, 1938: July, 1142  
 Saphenous vein, ligation of, 1940: May, 905  
 Sarcoid of Boeck, 1939: Jan., 249, 251, Sept., 1335, 1383  
 Sarcoids, 1938: Sept., 1336  
 Sarcoma of colon, roentgen study, 1938: March, 439  
 of jejunum, roentgen study, 1938: July, 1066, 1067  
 of small intestine, 1939: March, 505  
 Scalp, diseases, 1939: Nov., 1645  
 general care, 1939: Nov., 1661  
 lupus erythematosus, 1939: Jan., 253  
 Microsporion lanosum infection, 1939: Sept., 1283  
 pediculosis, 1939: Nov., 1650
- Scalp, ringworm, 1939: Nov., 1646, 1651, 1652  
 seborrhea, 1938: Sept., 1385, 1387; 1939: Nov., 1647  
 Scapulohumeral periarthritis, 1940: March, 525  
 Scarlet fever, 1938: Sept., 1375  
 convalescent serum, in diagnosis, prevention and treatment, 1939: May, 623  
 in hemolytic streptococcal infections, 1939: May, 626  
 source and preparation, 1939: May, 613  
 differential diagnosis, 1938: Sept., 1379; 1940: Sept., 1533  
 inflammations of ear, nose and throat in, 1938: Nov., 1653  
 Schaefer method of artificial respiration, 1938: July, 1026  
 Schiller's test for cancer of cervix, 1940: Jan., 173  
 Schizophrenia, 1938: Nov., 1747; 1939: May, 797; 1940: Sept., 1494, 1498  
 Schönlein-Henoch's purpura, 1940: Sept., 1455  
 Schultz-Charlton test, 1938: Sept., 1379; 1939: May, 624; 1940: Sept., 1535  
 Sciatica, 1938: March, 527, Nov., 1781, 1783  
 effect of jaundice on, 1940: July, 1212, 1215, 1216  
 Scissors gait, 1938: Sept., 1516  
 Sclerema neonatorum, 1940: July, 1254  
 Sclerosis, amyotrophic, lateral, 1938: July, 1126, Sept., 1528, 1534  
 combined, of cord with pernicious anemia, 1938: Sept., 1524, 1534  
 lenticular, in aged, 1940: Jan., 130  
 multiple, 1938: Sept., 1519, 1533; 1940: Sept., 1565  
 Scratch test in allergy, 1938: March, 276, 277, 363; 1939: Sept., 1246  
 Scrofuloderma, 1938: Sept., 1336, 1339; 1939: Jan., 249, 250  
 Scrofulosis, 1939: May, 649  
 Scurvy, 1940: May, 750, 751, Sept., 1455  
 Seborrhea, 1938: Sept., 1385, 1387; 1939: Nov., 1647  
 Seborrheic alopecia, 1939: Nov., 1648  
 verruca, 1940: Jan., 141  
 Secretin, 1940: Jan., 226  
 Sedation, recent advances, 1940: May, 603  
 Sedatives, administration to old people, cautions, 1940: Jan., 5  
 effect on diuresis, 1940: May, 869

- Sedimentation rate in gallbladder disease, 1939: Jan., 24  
in gout, 1940: March, 439  
test, 1940: Nov., 1635
- Sella turcica, ballooning of, 1940: July, 983
- Sensitization eczema, 1938: May, 795, 798, 802
- Sensory disturbances, tests and significance, 1938: May, 562
- Septum, deviated, headache due to, 1940: March, 313  
in asthma, 1939: Nov., 1613
- Serum amylase test in gallbladder disease, 1939: Jan., 25  
blood. See *Blood serum*.
- carditis, 1939: Sept., 1336
- Serum, convalescent. See *Convalescent serum*.
- therapy in empyema thoracis, 1939: Sept., 1360  
in pneumonia, 1938: Jan., 22; 1939: July, 635, 953, Sept., 1205, 1213
- Sex development, abnormalities of, 1938: May, 809
- disturbances in aged male, 1940: Jan., 82
- hormones, female, 1938: Nov., 1826  
in obesity in children, 1938: Jan., 177  
male, 1938: Sept., 1537, 1541
- Shock, electric, injuries to central nervous system, 1938: May, 663  
heart failure with, 1939: March, 474  
100 per cent oxygen in, 1939: July, 988  
treatment of psychoses, 1939: May, 797
- Short wave diathermy, 1939: Jan., 121, 128
- Shoulder, periarthritis of, 1940: March, 525
- Sick headache, 1940: March, 285
- Sickle-cell anemia, 1928: July, 916
- Silicosis, 1938: Sept., 1443
- Silicotuberculosis, 1938: Sept., 1443, 1453
- Simmonds' disease, 1938: March, 512, Nov., 1832; 1939: Jan., 181, March, 548, Nov., 1731; 1940: July, 965
- Sinus bradycardia, 1939: Jan., 95, 96, Sept., 1300  
headache, 1940: March, 289  
tachycardia, 1939: Sept., 1300
- Sinuses, paranasal, 1938: July, 1099, 1100  
as foci of infection, 1939: May, 683  
diseases of, 1938: May, 681, July, 1099, Nov., 1565, 1591; 1940: March, 314. See also *Sinusitis*.
- Sinuses, paranasal, diseases of, arthritis and, 1940: Nov., 1677  
mucous polyps in, 1938: Nov., 1635  
tumors of, headache in, 1940: March, 315
- Sinusitis, acute, 1940: March, 314  
allergic, 1938: March, 282  
chronic, 1938: July, 1099, 1106  
headache due to, 1940: March, 313  
in asthma, 1939: Nov., 1614  
in infectious diseases, 1938: Nov., 1647, 1649, 1654, 1659  
medical diathermy in, 1939: Jan., 127, 135; 1940: March, 550
- Sinusoidal current in sciatica, 1938: Nov., 1785
- Skin allergy, 1938: March, 334, 371; 1939: Jan., 238  
atrophy, in aged, 1940: Jan., 139, 144  
care, in aged, 1940: Jan., 142  
carcinoma, 1939: Jan., 245  
diseases, 1938: Sept., 1381  
physical therapy, 1938: Sept., 1311  
symposium on, 1938: Sept., 1243
- Skin eruptions, drug, 1938: Sept., 1323  
following sulfanilamide, 1939: Sept., 1138, 1182
- fungous infections, 1939: Sept., 1279
- lesions, in acute exanthematous diseases, 1938: Sept., 1355  
in diseases of lipid metabolism, 1940: July, 1249  
in syphilis, 1938: Sept., 1243, 1247, 1261, 1270  
in tuberculosis in children, 1939: May, 648  
ultraviolet therapy, 1939: May, 710
- reactions to protamine zinc insulin, 1938: May, 721
- reflexes in plastic paraplegias, 1938: Sept., 1517
- sailors' or farmers', following ultraviolet rays, 1938: Sept., 1314
- tests, in allergy, 1938: March, 276, 363; 1939: Sept., 1246  
in infantile eczema, 1938: May, 796
- tuberculosis, 1938: Sept., 1333  
treatment, in aged, 1940: Jan., 139
- xanthomatosis, 1939: May, 748; 1940: July, 1256
- Skull, geographical, 1939: May, 744, 745
- Smallpox, 1938: Sept., 1355; 1940: Sept., 1530
- Smell, sense of, examination, 1938: May, 556

# 1908 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Snake venoms in hemophilia, 1940: May, 777, 800  
 local use, in hemorrhage, 1940: May, 777
- Social factors in caring for patients, 1939: Sept., 1401
- Sodium bicarbonate in dyspepsia, 1938: Sept., 1414
- Sore throat, differential diagnosis, 1940: Sept., 1524  
 streptococcal, 1940: Sept., 1525  
 ulcerative, 1940: Sept., 1527
- Spasm, bowel, gallbladder disease and, relationship, 1939: Jan., 64, 81  
 esophageal, 1939: Sept., 1314; 1940: March, 561
- Spastic irritable bowel, 1938: Jan., 139; 1940: Jan., 193  
 paraplegias, 1938: Sept., 1513, 1514
- Specific gravity test of renal function, 1940: Sept., 1470
- Speculum examination of cervix uteri, 1940: Jan., 173
- Speech disturbances, 1938: May, 563, 607, 608
- Spencer-Parker vaccine, 1939: March, 538
- Spermin, 1938: Sept., 1537
- Sphenoid sinus disease, 1938: Nov., 1599
- Sphenopalatine neuralgia, 1940: March, 316
- Sphincteritis, 1939: Jan., 64, 81
- Sphingomyelin, 1939: May, 735
- Spina bifida, 1938: July, 1127
- Spinal caries, tuberculous, 1938: Sept., 1529, 1534  
 cord, abscess, 1938: July, 1122  
 combined sclerosis, with pernicious anemia, 1938: Sept., 1524, 1534  
 compression, 1938: July, 1113  
 degeneration, subacute combined, 1938: July, 1125  
 inflammation, 1938: Sept., 1526, 1534  
 lesions, 1938: May, 567, July, 1111; 1939: May, 818, 823  
 syphilis, 1938: Sept., 1523, 1533  
 trauma, 1938: Sept., 1526, 1534  
 tumors, 1938: July, 1111, Sept., 1520, 1533
- Spine, arthritis, dyspepsia in, 1938: March, 415  
 precordial pain in, 1938: March, 477  
 cervical, arthritis of, headache from, 1940: March, 329  
 deformities, heart disease and, 1939: Sept., 1326  
 fractures, 1938: July, 1118
- Spine, malignant growths, 1938: Sept., 1531, 1534  
 osteitis, hypertrophic, 1938: July, 1118
- Spirochaetosis icterohaemorrhagica, 1938: Nov., 1769
- Spirochetal jaundice, 1938: Nov., 1769
- Spleen, xanthomatosis of, 1939: May, 752
- Splenomegaly following sulfanilamide, 1939: Sept., 1145
- Spondylitis, abdominal pain in, 1938: July, 1056; 1939: July, 894  
 deformans, 1940: July, 1197
- Spondylolisthesis, 1940: July, 1202
- Sprains, medical diathermy in, 1939: Jan., 129; 1940: March, 546
- Spring catarrh, 1938: March, 289
- Sprue, nontropical, intestinal changes in, 1938: July, 1071
- Sputum study in pneumonia, 1938: Jan., 22, 48
- Staphylococcal infection in senile diabetes, 1940: Jan., 126  
 pneumonia, bronchogenic, primary, 1938: Sept., 1473
- Starvation, low basal metabolism in, treatment, 1939: Jan., 184
- Stasis, biliary tract, 1939: Jan., 64, 81
- Stature, effect of diet on, 1939: May, 725
- Status asthmaticus, 1939: Jan., 233, Nov., 1626
- Steatorrhea, intestinal changes in, 1938: July, 1072
- Stenosis, aortic, 1940: Sept., 1365
- pyloric, hypertrophic, in infants, 1938: Jan., 153
- Step test of cardiac function, 1938: May, 774
- Sterile couple, investigation of, 1940: Jan., 177
- Sterility, Hühner's test, 1940: Jan., 182  
 hysterosalpingography in, 1940: Jan., 180, 181  
 pregnant mares' serum in, 1940: July, 1075  
 Rubin test, 1940: Jan., 180
- Sterols, irradiated, 1939: May, 690
- Stokes-Adams syndrome, emergency aspects, 1938: July, 901
- Stomach, cancer, 1939: July, 871  
 chronic dyspepsia in, 1938: March, 426  
 gastroscopy in, 1940: March, 514  
 hematemesis in, 1938: May, 737  
 in aged, 1940: Jan., 13  
 serum enzymes in, 1940: July, 1148  
 dilatation, postoperative, 1938: Jan., 224



# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1909

- Stomach, diseases, in old people, 1940: Jan., 13  
 rôle of gastroscopy in, 1940: March, 493  
 hemorrhage from, 1939: July, 861  
 lesions, roentgen diagnosis, 1940: Sept., 1542  
 postoperative symptoms, gastroscopy in, 1940: March, 519  
 syphilis, 1939: July, 882  
 tuberculosis, 1939: July, 885  
 tumors, 1939: July, 871  
 ulcer, 1939: July, 913, 924  
 chronic dyspepsia in, 1938: March, 425  
 gastroscopy in, 1940: March, 506  
 hematemesis in, 1938: May, 739  
 varices, bleeding, 1938: July, 973  
 Strain of lower back, 1940: Nov., 1761  
 postural, 1940: July, 1196  
 Strawberry gallbladder, 1939: May, 753  
 tongue, 1938: Sept., 1376  
 Streptococcal infections, sulfanilamide in, 1939: July, 931, Sept., 1149, 1231, 1233, 1236  
 laryngitis, 1940: Sept., 1529  
 meningitis, sulfanilamide in, 1938: Sept., 1423, 1424  
 pneumonia, 1940: Sept., 1431  
 sore throat, 1940: Sept., 1525  
 Streptococcemia, ear, nose and throat manifestations, 1938: Nov., 1660  
 Streptococci, hemolytic, 1939: Sept., 1150, 1231, 1232  
 infection due to, 1939: May, 626, Sept., 1149, 1235  
 Streptozon, 1939: July, 928  
 Stricture of urethra, 1940: Nov., 1808  
 Strophanthin in heart failure, 1940: May, 877  
 Struma, Riedel's, 1940: July, 1016  
 Stuttering, 1938: May, 610  
 Styte, recurring, 1938: March, 288  
 Subarachnoid hemorrhage, primary, 1938: May, 578  
 headache in, 1940: March, 304, 326  
 Subacromial bursitis, short wave diathermy in, 1939: Jan., 130  
 Subdural hematoma, 1938: May, 579, 585  
 headache in, 1940: March, 304  
 Suction treatment of sinus disease, 1938: July, 1107, Nov., 1571  
 Sugar consumption and diabetes, 1939: July, 1092  
 Sulfanilamide, 1939: July, 927  
 contraindications, 1939: July, 941  
 dosage and administration, 1939: July, 935  
 in children, 1939: May, 697  
 Sulfanilamide, experimental studies, 1939: Sept., 1133  
 hemolytic anemia due to, 1940: Sept., 1451  
 historical notes, 1939: July, 927  
 immune sera in conjunction with, 1939: May, 703  
 in acute infections of central nervous system, 1938: Sept., 1419  
 in arthritis, 1940: Nov., 1731  
 in Bacillus coli infections of bladder, 1938: Nov., 1702  
 in cystitis in female, 1939: March, 365  
 in empyema thoracis, 1939: Sept., 1362  
 in gonococcal infections, 1938: March, 455; 1939: March, 366, July, 933, Sept., 1173  
 arthritis, 1938: May, 851; 1939: Sept., 1185  
 cervicitis, 1939: March, 384  
 in men, 1939: March, 366  
 in women, 1938: Sept., 1429; 1939: March, 366  
 combined with fever therapy, 1938: Sept., 1437  
 meningitis and endocarditis, 1939: Sept., 1185  
 salpingitis, 1939: March, 350  
 vaginitis in children, 1939: May, 668, Sept., 1184  
 in hemolytic streptococcal infections, 1939: Sept., 1149  
 in lymphogranuloma inguinale, 1939: Jan., 229  
 in meningococcal infections, 1939: July, 934, Sept., 1159  
 in pelvic infections in women, 1939: July, 1043  
 in pneumococcal infections, 1939: July, 934, Sept., 1208  
 in pyelonephritis, 1939: Sept., 1224, 1225  
 in rheumatic subjects, prophylactic use, 1940: May, 633  
 in streptococcal infections, 1939: July, 931, Sept., 1149, 1231, 1233, 1236  
 in undulant fever, 1939: Sept., 1193  
 in urinary tract infections, 1938: March, 453, July, 1179; 1939: May, 674, July, 934, Sept., 1221; 1940: Sept., 1475  
 mode of action, 1939: Sept., 1133, 1183  
 symposium on, 1939: Sept., 1133  
 therapy in children, problems arising during, 1939: May, 697  
 toxic reactions, 1939: March, 352, 366, May, 701, July, 938, Sept., 1136, 1179, 1200



# 1910 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Sulfanilyl sulfanilamide in gonococcal infections, 1939: Sept., 1189
- Sulfapyridine, 1939: July, 930, 942, 943  
in empyema thoracis, 1939: Sept., 1362  
in gonococcal infections, 1939: Sept., 1189  
in pneumonia, 1939: July, 942, 955, Sept., 1209, 1213; 1940: May, 639, Nov., 1789  
in pneumococcal meningitis, 1940: Nov., 1789  
intravenous use, 1940: May, 644  
toxic reactions, 1939: July, 943, Sept., 1211; 1940: May, 646
- Sulfathiazole in pneumococcal pneumonia and meningitis, 1940: Nov., 1789
- Sulfocyanates in hypertension, 1939: July, 1026
- Sulfur in arthritis, 1940: Nov., 1730
- Sulkowitch's test for hyperparathyroidism, 1940: July, 1030
- Sunday dermatitis, 1938: March, 377
- Sunstroke, 1938: July, 1009, 1015
- Suprarenal. See *Adrenal*.
- Surgery in diabetes, protamine zinc insulin in, 1938: May, 729, 733
- Surgical patient, cardiac status, 1938: Sept., 1505
- Sydenham's chorea, fever therapy, 1940: Sept., 1566
- Sympathectomy for hypertension, 1939: July, 1028  
postural maladaptation after, 1940: July, 1109
- Syncope, convulsive, 1938: July, 901  
in heart disease, 1940: Sept., 1319
- Synovectomy in arthritis, 1940: Nov., 1741, 1747
- Synovialis, physiology, 1940: Nov., 1621
- Synovitis, syphilitic, 1938: Sept., 1275
- Syphilids, 1938: Sept., 1247-1258, 1263, 1265; 1939: Jan., 251
- Syphilis, cardiovascular, chest pain in, 1939: Sept., 1311  
congenital, 1939: Nov., 1575  
tardive, 1939: Nov., 1588  
d'emblée, 1938: Sept., 1245  
early, skin manifestations, 1938: Sept., 1243  
treatment, 1938: Sept., 1295  
eruptions of. See *Syphilids*.  
facial lesions, 1939: Jan., 251  
in old people, treatment, cautions, 1940: Jan., 8  
inflammations in ear, nose and throat in, 1938: Nov., 1650  
late, skin manifestations, 1938: Sept., 1261
- Syphilis, latent, 1938: Sept., 1302  
meningo-encephalitic, 1938: Sept., 1291  
nonspecific therapy, 1939: July, 1109  
of central nervous system, 1938: May, 620, Sept., 1287, 1304  
of spinal cord, 1938: July, 1121, Sept., 1523, 1533  
of stomach, 1939: July, 882  
pregnancy and, 1938: Sept., 1305  
secondary manifestations, 1938: Sept., 1246, 1258  
symposium on, 1938: Sept., 1243  
treatment, 1938: Sept., 1295  
reactions, 1938: Sept., 1307  
vaginal lesions, 1938: May, 764  
without chancre, 1938: Sept., 1245
- Syphilitic mother, 1939: Nov., 1575, 1578  
prenatal therapy, 1939: Nov., 1583, 1584
- Syringomyelia, 1938: July, 1117, Sept., 1528, 1534
- Syringomyelic dissociation, 1938: Sept., 1528
- Systemic diseases, inflammations in ear, nose and throat in, 1938: Nov., 1645
- TABES dorsalis, 1938: July, 1121, Sept., 1288, 1291; 1939: May, 823, 834  
fever therapy, 1939: July, 1111; 1940: Sept., 1560
- Taboparesis, 1938: Jan., 233
- Tachycardia, auricular, paroxysmal, 1940: May, 583, 827  
electrocardiography and, 1940: Sept., 1329
- paroxysmal, 1938: March, 475; 1939: Sept., 1294, 1301  
ventricular, 1940: May, 591
- Tachypnea, 1940: Sept., 1310
- Tamponade, cardiac, 1940: Sept., 1357, 1372  
uterine, in postpartum hemorrhage, 1938: Jan., 203
- Teeth, extraction, hemorrhage after, Russell viper venom in, 1940: May, 781
- Hutchinson's, 1939: Nov., 1588, 1589, 1592  
infected, and arthritis, 1940: Nov., 1675  
problem of, in old people, 1940: Jan., 12
- Tendon reflexes in spastic paraplegias, 1938: Sept., 1517
- Tennis elbow, medical diathermy for, 1939: Jan., 131; 1940: March, 546

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1911

- Tenosynovitis, gonococcus, 1938: May, 844  
 medical diathermy in, 1939: Jan., 131; 1940: March, 546
- Testicles, 1938: Sept., 1538; 1940: July, 1057  
 functional disturbances, in aged, 1940: Jan., 82  
 undescended, 1938: May, 810
- Testosterone, 1938: Sept., 1540, Nov., 1829; 1940: Jan., 82, 86, July, 1058  
 in benign prostatic obstruction, 1940: July, 1066  
 in cryptorchidism, 1940: July, 1062  
 in impotence, 1940: July, 1064, 1065  
 in ovarian dysfunction, 1940: July, 1076  
 use and results in humans, 1938: Sept., 1541
- Tetany, 1938: Nov., 1823  
 from hyperventilation, 1940: July, 1021  
 gastric, 1938: Jan., 224  
 heart disease and, 1939: Sept., 1330  
 infantile, 1939: May, 688; 1940: May, 766  
 parathyroid, 1938: July, 1003; 1940: March, 443, 446, May 767, 883, July, 1020, 1022, 1024  
 production, 1938: Jan., 226
- Theophylline in paroxysmal cardiac dyspnea, 1938: Nov., 1744
- Therapeutics, rational, 1940: May, 577
- Therapy, recent advances, symposium on, 1940: May, 577
- Thiamin chloride and nicotinic acid in Ménière's syndrome, 1940: March, 533, 537  
 therapeutic uses, 1940: May, 733, 744
- Thomsen's disease, 1939: Nov., 1729
- Throat, diseases, symposium on, 1938: Nov., 1565  
 inflammation in, in systemic diseases, 1938: Nov., 1645  
 swab for pneumococci, 1939: Jan., 171
- Thrombo-angiitis obliterans, 1938: March, 465  
 heart disease and, 1939: Sept., 1336
- Thrombocytopenic purpura, 1940: Sept., 1456
- Thrombophlebitis, acute, 1938: July, 946  
 deep, acetyl-beta-methylcholine in, 1940: May, 823  
 postpartum, 1938: July, 1205
- Thromboplastins in hemophilia, 1940: May, 793
- Thrombosis, cerebral, 1938: May, 583, July, 938  
 coronary. See *Coronary thrombosis*.  
 of spinal artery, 1938: July, 1127
- Thrush of vagina, 1939: March, 314
- Thyroid disorders, asthenia in, 1939: Nov., 1731  
 gland, deficiency, 1939: Jan., 175  
 diseases, in aged, 1940: Jan., 79  
 medical management, 1940: July, 991  
 tuberculosis, 1940: July, 1017  
 obesity, 1938: Jan., 163; 1939: Nov., 1453  
 therapy, 1938: Nov., 1815  
 in arthritis, 1940: Nov., 1698  
 in obesity in children, 1938: Jan., 176  
 in ovarian dysfunction, 1940: July, 1070
- Thyroidectomy for adenomatous goiter, 1940: July, 994, 995  
 100 per cent oxygen after, 1939: July, 991  
 use of iodine with, 1938: March, 489
- Thyroiditis, 1940: July, 1015  
 Hashimoto's, 1940: July, 1016
- Thyropituitarism and obesity, 1938: Jan., 170
- Thyrotoxicosis with cardiac disability, 1940: Sept., 1352
- Thyrotropic hormone, 1940: July, 959  
 in obesity in children, 1938: Jan., 177
- Thyroxin, 1938: Nov., 1822
- Tibia, saber, 1939: Nov., 1591
- Tick paralysis, 1938: July, 1123
- Tinea, 1939: Nov., 1651, 1652
- Tissue extracts in hypertension, 1939: July, 1027
- Tobacco, use of, anginal pain with, 1939: July, 1037  
 effect on cardiovascular system, 1939: July, 1033, 1332
- Tongue, strawberry, 1938: Sept., 1376
- Tonsillectomy, frequency of infections after, compared with nonoperated cases, 1938: Nov., 1611  
 hemorrhage after, Russell viper venom in, 1940: May, 781, 784  
 in rheumatic fever, 1938: Nov., 1656  
 indications for, 1938: Nov., 1603
- Tonsillitis, 1940: Sept., 1524
- Tonsils, faucial and pharyngeal, indications for removal of, 1938: Nov., 1603  
 infected, and arthritis, 1940: Nov., 1676
- Tophi, 1940: March, 436
- Torticollis, 1938: July, 1120
- Toxemia, hemo-irradiation in, 1940: May, 730

- Toxemia in pneumonia, 1938: Jan., 49  
 in twin pregnancy, 1939: March, 435  
 intestinal, pruritus in, 1939: Nov., 1639  
 malnutrition due to, 1939: Nov., 1478  
 of pregnancy, 1938: July, 1215; 1939: March, 405, Sept., 1333; 1940: July, 1151
- Transduodenal drainage, 1939: Jan., 57
- Transfusions, blood, in chronic ulcerative colitis, 1940: May, 700  
 in hemophilia, 1940: May, 801  
 in postpartum hemorrhage in home, 1938: Jan., 206  
 use of preserved blood, limitations in, 1940: May, 705  
 immune, in streptococcal infections, 1939: Sept., 1238
- Transurethral prostatic resection, 1939: Jan., 162
- Trauma of head, headache after, 1940: March, 306, July, 1164  
 of spinal cord, 1938: Sept., 1526, 1534
- Treatment, human and social factors, 1939: Sept., 1416
- Trepopnea in etiology of paroxysmal cardiac dyspnea, 1938: Nov., 1740
- Triceps jerk, 1938: May, 560
- Trichiniasis, heart disease and, 1939: Sept., 1337
- Trichomonas cervicitis, 1939: March, 386  
 leukorrhea, treatment, 1940: May, 915  
 vaginitis, 1938: May, 765; 1939: Jan., 191, 192, 197, March, 314, 338
- Trigeminal nerve, examination, 1938: May, 558
- Triorthocresyl phosphate, paralysis due to, 1938: July, 1124
- Trochlear nerve, examination, 1938: May, 557
- Trousseau's sign, 1938: July, 1006
- Tuberculids, 1938: Sept., 1336; 1939: May, 648
- Tuberculin test, 1939: May, 657, 658, Sept., 1374
- Tuberculosis colliquativa, 1938: Sept., 1339; 1939: Jan., 249  
 cutis verrucosa, 1939: May, 648  
 disseminated, following measles, 1938: Sept., 1371  
 in aged, 1940: Jan., 45  
 in children, 1939: May, 645, 710  
 incipient, dyspepsia in, 1938: March, 413  
 intestinal, 1940: Jan., 233
- Tuberculosis of colon, roentgen examination, 1938: March, 440  
 of ileum, 1939: March, 508  
 of skin, 1938: Sept., 1333; 1939: Jan., 248  
 of stomach and duodenum, 1939: July, 885  
 of thyroid gland, 1940: July, 1017  
 of vagina, 1938: May, 764  
 pulmonary, basal, diagnosis, 1940: March, 461  
 chest pain in, 1939: Sept., 1313  
 differential diagnosis, 1938: May, 701; 1939: Sept., 1371  
 early attention to larynx in, 1938: Nov., 1621  
 in diabetes mellitus, 1939: Nov., 1542  
 renal, in aged, 1940: Jan., 161  
 silicosis and, 1938: Sept., 1443, 1453
- Tuberculous involvement in pelvic infections in women, 1939: July, 1046
- Tumors of adrenal cortex, 1940: July, 1049  
 medulla, 1940: July, 1054, 1055  
 of brain, headache in, 1940: March, 306, July, 1160  
 of duodenum, 1939: July, 881  
 of esophagus, benign, 1940: March, 560  
 of heart, metastatic, 1939: Sept., 1338  
 of islets of Langerhans, 1939: Nov., 1481, 1491  
 of kidney, roentgen diagnosis, 1940: March, 411  
 of lung, 1940: March, 464  
 of meninges, headache in, 1940: March, 304  
 of nose and sinuses, headaches due to, 1940: March, 315  
 of small intestine, benign, 1939: March, 505  
 of spinal cord, 1938: July, 1111, Sept., 1520, 1533  
 of stomach, 1939: July, 871, 880  
 pelvic, ascites in, 1938: July, 1171
- Twin pregnancy, 1939: March, 427, 437, 442
- Typhoid fever, sinus and middle ear infection in, 1938: Nov., 1649  
 vaccine therapy in syphilis, 1938: Jan., 244; 1939: July, 1114
- ULCER, duodenal. See *Duodenal ulcer* and *Peptic ulcer*.  
 elusive (Hunner), 1938: Jan., 194; 1939: March, 374  
 gastric. See *Stomach, ulcer* and *Peptic ulcer*.  
 Hunner's. 1938: Jan., 194

- Ulcer, peptic. See *Peptic ulcer*.  
 perforating, of foot, 1938: Sept., 1268, 1270  
 prepyloric, roentgen diagnosis, 1940: Sept., 1543  
 pseudo-, 1939: July, 892  
 tuberculous, 1938: Sept., 1338  
 varicose, 1940: May, 821, 901, 907  
 Ultraviolet irradiation, 1940: May, 724  
     in arthritis, 1940: Nov., 1689  
     in pediatric conditions, 1939: May, 706, 709  
     in skin diseases, 1938: Sept., 1311  
     of autotransfused blood, 1940: May, 723  
 Umbilical cord, prolapsed, in labor, 1939: July, 1065  
 Underwater exercises in pediatrics, 1939: May, 707  
 Undulant fever, 1938: Jan., 247; 1939: Sept., 1193; 1940: Nov., 1640  
 Unna's neurosyphilid, 1938: Sept., 1253  
 Urea clearance test of renal function, 1940: Sept., 1471  
 Uremia, diet in, 1939: Jan., 118  
     emergency aspects, 1938: July, 961  
     headache in, 1940: March, 366  
     treatment, 1939: Nov., 1720  
 Uremic coma, 1938: May, 620  
 Urethra, female, urologic conditions, 1940: Nov., 1801  
 Urethral caruncles, 1940: Jan., 67, Nov., 1809  
 Urethritis in female, 1940: Nov., 1802  
 Uric acid in blood in gout, 1940: March, 434  
 Urinary calculi, diet and, 1939: March, 458  
     hormones in adolescents, 1938: May, 815  
     tract infection, arthritis and, 1940: Nov., 1680  
     diet in, 1939: Jan., 119  
     dyspepsia in, 1938: March, 411, 428  
     in infants and children, 1939: May, 669  
     mandelic acid in, 1938: March 450, July, 1177, Nov., 1702; 1939: March, 363, May, 674; 1940: Sept., 1475  
     neocarsphenamine in, 1939: May, 677  
     sulfanilamide in, 1938: March, 453, July, 1179, Nov., 1702; 1939: March, 365, May, 675, July, 934, Sept., 1221; 1940: Sept., 1475  
 Urine, residual, causes of, 1938: Jan., 193  
 Urine, residual, in bladder neck obstruction, 1939: Jan., 157  
     retention, acute, 1938: July, 959  
 Urography, excretory, in renal tumors, 1940: March, 411  
 Urologic conditions in aged, 1940: Jan., 157  
 Urticaria, 1939: Jan., 238; 1940: Jan., 154  
 Uterine bleeding, atypical, 1940: July, 1069  
     inertia, 1939: July, 1049, 1058  
 Uterus, action of benzedrine sulfate on, 1939: March, 285  
     carcinoma, menopausal bleeding and, 1939: March, 303  
     dilatation and curettage, 1940: Jan., 174, July, 1088  
     examination, 1940: Jan., 169  
     bimanual, 1940: Jan., 171  
     infantile, and dysmenorrhea, 1939: March, 277  
     hormone therapy, 1938: Nov., 1826  
     lesions, leukorrhea due to, 1939: Jan., 201  
     packing, in postpartum hemorrhage, 1938: Jan., 203, July, 1202  
     retrodisplacements, 1939: March, 274; 1940: Jan., 169  
 VACCINATION, pemphigus acutus following, 1938: Sept., 1346  
 Vaccines in arthritis, 1940: Nov., 1642, 1775  
     in bronchial infection in asthma, 1939: Nov., 1615  
     in constipation, 1939: Nov., 1680  
     in Rocky Mountain spotted fever, 1939: March, 538  
     in sinus disease, 1938: Nov., 1574; 1939: Nov., 1615  
 Vaccinia, generalized, 1938: May, 785  
 Vaginal antisepsis, antenatal, in prevention of ophthalmia neonatorum, 1940: Nov., 1857  
     discharges, causes, 1938: May, 761  
     normal and abnormal, 1939: Jan., 189  
     douche in gonococcal salpingitis, 1939: March, 346  
     relaxation in aged, 1940: Jan., 66  
 Vaginitis, 1938: May, 761, 764, 765; 1939: March, 333, 341  
     gonorrheal, 1938: May, 761; 1939: Jan., 191, 195; 1940: May, 915, July, 1072  
     Leptothrix, 1938: May, 770  
     Monilia, 1938: May, 770; 1939: Jan., 191, 192, 197; 1940: May, 916

# 1914 INDEX TO VOLUMES 22, 23 AND 24 (1938-1940)

- Vaginitis, mycotic, 1939: March, 314, 341  
of infants and children, 1939: March, 335, 338, May, 661, Sept., 1184; 1940: May, 917  
postmenopausal, 1939: March, 342  
senile, 1938: May, 770; 1939: March, 342; 1940: Jan., 66, May, 916, July, 1072  
Trichomonas, 1939: Jan., 191, 192, 197, March, 314, 338; 1940: May, 915  
Van den Bergh test, 1939: Jan., 21, 22  
Varicella, 1938: Sept., 1362  
Varices, bleeding, in esophagus and stomach, 1938: July, 973  
esophageal, 1940: March, 564  
Varicose ulcers, 1940: May, 821, 901  
veins, 1940: May, 901  
Variola, 1938: Sept., 1355  
Varioloid, 1938: Sept., 1359  
Vascular collapse, postpartum, 1938: July, 1219  
disease, hypertensive, chronic, in pregnancy, 1938: July, 1215  
of aged, fundus changes in, 1940: Jan., 131  
peripheral, 1938: March, 459; 1940: May, 819  
in polycythemia, 1940: March, 485  
emergencies, extracardiac, 1938: July, 937  
lesions in brain, 1938: May, 577, 619  
neurosyphilis, 1938: Sept., 1288, 1290  
occlusion, mesenteric, 1938: July, 942  
peripheral, sudden, 1938: July, 943  
system, xanthomatosis of, 1939: May, 752  
Vasomotor centers, 1940: July, 1100  
rhinitis, 1939: Jan., 237, 238  
Vasospasm, smoking and, 1939: July, 1033  
Vasospastic diseases, functional, 1938: March, 467  
Vegetables, common, carbohydrate content, 1939: Nov., 1512  
Venesection in congestive heart failure, 1938: July, 1144; 1939: March, 468  
Venom, snake, in hemophilia, 1940: May, 777, 800  
local use, in hemorrhage, 1940: May, 777  
Ventricular tachycardia, 1940: May, 591  
Verruca, senile, 1940: Jan., 141  
Vertigo, aural, 1938: May, 695  
Vestibular function, testing, 1938: May, 558  
Vidian neuralgia, 1940: March, 316  
Vigantol, 1940: May, 767  
Vincent's infection of vagina, 1938: May, 764  
Vioform in amebiasis, 1939: Sept., 1271  
Viosterol, 1939: May, 691; 1940: May, 761  
Virilism, adrenal, 1940: July, 1048  
Virus pneumonia, 1940: Sept., 1430  
Viscera, xanthomatosis of, 1939: May, 751, 752  
Visceral crises, 1938: July, 1036  
Visceroptosis, constipation in, 1939: Nov., 1670  
Visual disturbances in chromophobe adenoma of pituitary, 1940: July, 984  
Vitamin B, deficiency in alcoholic polyneuritis, 1938: Nov., 1794, 1795, 1801  
saturation tests, 1940: May, 745  
therapeutic use, recent advances, 1940: May, 733  
Vitamin B<sub>1</sub> as hypnotic and sedative, 1940: May, 603  
deficiency, 1940: May, 737, Sept., 1361  
in incurable cancer, 1940: May, 601  
Vitamin B<sub>2</sub> hydrochloride, therapy with, 1940: May, 733, 739  
Vitamin C, absorption test, 1940: May, 744  
as hypnotic and sedative, 1940: May, 604  
deficiency, 1940: May, 750, Sept., 1455  
renal retention, compensating for, in tests, 1940: May, 743  
therapy with, 1940: May, 743, 752  
in chronic ulcerative colitis, 1940: May, 695  
Vitamin D, 1940: May, 761  
in arthritis, 1940: Nov., 1732  
in postoperative parathyroid tetany, 1940: March, 445  
milks, 1939: May, 692  
therapy in children, 1939: May, 687, 695; 1940: May, 765  
recent advances, 1940: May, 759  
Vitamin D<sub>2</sub>, 1940: May, 760, 761  
Vitamin D<sub>3</sub>, 1939: May, 691; 1940: May, 760, 761  
Vitamin D<sub>4</sub>, 1940: May, 761  
Vitamin D<sub>5</sub>, 1940: May, 761  
Vitamin deficiency, bradycardia and 1939: Jan., 100

# INDEX TO VOLUMES 22, 23 AND 24 (1938-1940) 1915

- Vitamin deficiency, circulatory manifestations, 1939: May, 759
- in chronic ulcerative colitis, 1940: May, 695
- pruritus vulvae and, 1939: March, 318
- Vitamin E in amyotrophic lateral sclerosis, 1940: May, 775
- in threatened abortion, 1940: July, 1077
- Vitamin K in hemorrhagic disease, 1940: July, 1077, Sept., 1457
- Vitamin therapy in arthritis, 1940: Nov., 1665
- in toxic and infectious jaundice, 1938: Nov., 1777
- Vitamins, relation of hormone to, 1938: Nov., 1815
- requirements, 1939: Nov., 1472
- Vitreous opacities, allergic factor, 1938: March, 292
- Vocal cords in hoarseness, 1938: Sept., 1463
- Vollmer's patch test in tuberculosis, 1939: May, 659
- Volvulus, constipation in, 1939: Nov., 1671
- Vomiting, alkalosis due to, 1938: Jan., 224
- functional, relation to anorexia nervosa, 1939: July, 901
- in cardiovascular disease, 1940: March, 384, Sept., 1318
- in twin pregnancy, 1939: March, 434
- of pregnancy, 1939: March, 417
- severe, emergency aspects, 1938: July, 888
- treatment, 1938: July, 892
- Von Gierke's disease, heart in, 1939: Sept., 1329
- Vulva, pruritus of, 1939: March, 309
- Vulvectomy for pruritus vulvae, 1939: March, 328
- Vulvitis, 1938: May, 761
- atrophicans, 1940: Jan., 145
- leukoplakic, 1938: May, 771; 1939: March, 313; 1940: Jan., 68
- Waterhouse-Friderichsen syndrome, 1940: July, 1041
- Weather as factor in diabetes, 1939: July, 1088
- Weil's disease, 1938: Nov., 1769
- Weil-Felix reaction in Rocky Mountain spotted fever, 1939: March, 533
- Weir Mitchell's disease, 1938: March, 467
- Weltmann serum coagulation reaction, 1939: Jan., 25
- Werdnig-Hoffmann atrophy, 1939: May, 826
- Wheat germ in dermatomyositis, 1940: May, 775
- Whitfield's ointment, 1938: Sept., 1392
- Whooping cough, differential diagnosis, 1940: Sept., 1537
- gold tribromide in, 1938: Sept., 1495
- XANTHELASMA of eyelids, 1940: July, 1260
- Xanthic bodies, 1939: May, 756
- Xanthoma diabeticorum, 1939: May, 754, Nov., 1528; 1940: July, 1261
- disseminatum, 1940: July, 1259
- juvenile, 1940: July, 1256
- tuberosum, 1939: May, 748; 1940: July, 1257
- Xanthomatosis, 1939: May, 748, 754; 1940: July, 1254
- heart disease and, 1939: Sept., 1329
- Xanthosis in diabetes in children, 1939: Nov., 1528
- x-Ray. See Roentgen.
- YEAST infection, 1939: Sept., 1289
- leukorrhea in, treatment, 1940: May, 916
- of bladder, 1939: March, 376
- of vagina and vulva, 1939: Jan., 191, 192, 197, March, 315, 341
- Yellow fever, jaundice in, 1938: Nov., 1771
- ZINC sulfate intranasal spray in poliomyelitis prevention, 1938: Jan., 107
- WARTS, senile, 1940: Jan., 140, 144
- Water balance in adolescence, 1938: May, 815